

INDEX OF AUTHORS

- Abildskov, J. A., 600
Abrams, W. B., 215
Aegerter, E. E., 846
Akers, R. F., 339
Alexander, J. K., 733
Altschule, M. D., 444
Allen, E. V., 681
Andrus, E. C., 531
Arai, H. S., 433, 911

Baez, S., 42
Ball, R. B., 606
Barnes, A. R., 170
Baumann, F., 271
Becker, D. L., 230
Berman, B., 80
Bernstein, A. M., 508
Bing, R. J., 531
Blair, G. W., 641
Bland, E. F., 321
Bolene, C., 867
Braunstein, J. R., 906
Brodkin, H. A., 508
Brofman, B. L., 752
Bruce, R. A., 368
Burch, G. E., 600, 674, 926
Burchell, H. B., 230, 418
Burke, G. E., 164
Butterworth, J. S., 923

Campbell, J. A., 564
Carmichael, D. B., 321
Carroll, D., 531
Chamberlin, W. B., Jr., 524
Chesky, K., 433, 911
Chick, F. B., 764
Clarke, C. W., Jr., 820
Colp, R., Jr., 674
Corcoran, A. C., 1, 722, 727
Corson, M., 171
Counihan, T., 730
Cournand, A., 733
Croce, J. P., Jr., 647
Cronvich, J. A., 600
Crowder, C. H., 703
Czerwonka, L. J., 89

Daley, R., 531
Davidson, J. D., 332
Davies, D. F., 543
Davis, C. B., Jr., 239
Dotter, C. T., 606
Doyle, J. T., 182
Draper, A., 531

Eddleman, E. E., Jr., 260, 405
Edwards, J. E., 230, 363, 524
Eisen, M. E., 271
Eisenberg, S., 105, 260, 405
Ellis, E. J., 390
Enselberg, C. D., 647
Ernstene, A. C., 690
Eskildsen, P., 881
Essex, H. E., 418
Estes, E. H., Jr., 182

Falholt, W., 531
Feil, H., 752
Felson, B., 282
Ferrer, M. I., 733

Feuerstein, S., 911
Fishman, A. P., 703
Fowler, N. O., 906
Freedberg, A. S., 837
Freis, E. D., 254
Fulton, G. P., 339
Furchgott, R. F., 42

Gauer, O. H., 390
Gnassi, A. M., 501
Goldstein, I., 911
Götzsche, H., 881
Grant, R. P., 182
Green, P. A., 89
Green, R. S., 80
Greene, I., 399
Gregg, D. E., 89
Greve, M. J., 405
Griffeath, H. L., 224
Griffith, G. C., 481, 492, 658
Grishman, A., 198
Griswold, H. E., 202
Gropper, A. L., 543
Gros, G., 867
Gross, R. E., 125
Gupta, T. C., 17, 32
Gutenkauf, C. H., 352

Hansen, A. T., 881
Harris, T. N., 215
Harrison, T. R., 105, 260, 405
Harvey, R. M., 733
Hass, G. M., 239
Hausner, E. P., 171
Hazard, J. B., 690
Heimbecker, R., 531
Hellerstein, H. K., 95, 514, 752
Helmsworth, J. A., 282
Heyman, A. H., 558
Hiatt, E. P., 399
Hildreth, D. M., 641
Hildreth, E. A., 641
Hirst, A. E., 116
Hubbard, J. P., 215

Iglauer, A., 80

Jackson, C. E., 600
Johnson, O., 171
Johns, V., 658
Jones, A. M., 752
Jones, R. W., Jr., 558
Jordan, R. A., 363
Johnston, F. D., 579

Katz, L. N., 859, 867
Kaufman, J. W., 80
Kahn, J. R., 384
Kemp, N. F., 501
Kendall, F. E., 332
Kistin, A., 738
Kleckner, M. S., Jr., 681
Klosk, E., 508
Kroop, I. G., 198

Landowne, M., 738
Langham, W., 171
Leevy, C. M., 501
Leo, T. F. P., 215
Levine, H. D., 889

Levinson, D. C., 658
Levy, R. L., 224
Littman, D., 875
Lombardo, T. A., 105, 260
Longino, F. H., 89
Longino, L. A., 125
Lovejoy, F. W., Jr., 368
Lowenthal, M., 867
Lown, B., 647
Lutz, B. R., 339
Lyons, R. H., 275

MacKay, J. C., 254
Mandelbaum, H., 663
Mandelbaum, R., 663
Manry, C. H., 275
Master, A. M., 433
Mathers, J. A. L., 224
Maxwell, M. H., 703
McDowell, M. E., 368
McGuire, J., 80, 282
Mellinkoff, S. M., 641
Mendlowitz, M., 694
Merrill, J. P., 889
Messer, A. L., 730
Meyer, W., 332
Michael, S., 271
Molthan, L., 846
Morales, P., 703
Mudd, G., 531
Myers, G. S., 564

Nerlich, W. E., 377
Nickerson, J. L., 224

Ochsner, A., Jr., 674
Oliver, B. B., 105, 260
Oliver, W. F., 254
Olmsted, F., 722, 727, 801
Orbison, J. L., 514
Overly, D. C., 579

Page, I. H., 1, 551, 722, 727, 801
Pantridge, J. F., 589
Patterson, J. L., Jr., 558
Paul, O., 564
Peterson, J. E., 116
Pick, R., 867
Pitts, R. F., 275
Purdy, L., 433, 911
Price, H. P., 501
Pruitt, R. D., 418

Raab, W., 138
Rappaport, M. B., 730
Ray, C. T., 926
Rodbard, S., 867
Rodman, M. H., 875

Scheifley, C. H., 363
Scherf, D., 764
Schlamowitz, S. T., 413
Schroeder, H. A., 543
Scott, R. C., 282
Scott, R. W., 80
Seligmann, A., 198
Shafer, C. L., 171
Shuman, C. R., 846
Shumway, N. P., 384
Simon, F., 508

- Skeggs, L. T., 384
Sleisenger, M. H., 837
Snyder, E. R., 911
Somerville, W., 889
Sprague, H. B., 321, 730
Stamler, J., 859
Stead, E. A., Jr., 294
Steinberg, I., 606
Steinberg, M. F., 198

Taylor, C. B., 239
Taylor, R. D., 1, 551
Thorpe, J. J., 923
Travell, J., 120
Trujillo, T., 171

Tyson, M. C., 271

Van Itallie, T. B., 820
Vawter, G. F., 239
Viar, W. N., 105, 260
Vural, I. L., 481, 492

Wakim, K. G., 681
Walker, W. J., 864
Wallace, R. B., 501
Wells, R., 531
White, T. J., 501
Wier, J. A., 864
Wiggers, C. J., 17
Wiggins, W. S., 275

Willis, K., 105, 405
Winsor, T., 830
Wood, E. H., 390
Wright, I. S., 164
Wyman, S., 321

Young, M. D., 202
Yu, P. N. G., 368

Zatuchni, J., 846
Ziegler, R. F., 438
Zimmerman, H. A., 95
Zinn, W. J., 658
Zoeckler, S. J., 854
Zweifach, B. W., 42

SUBJECT INDEX

(Page numbers in *italics* refer to abstracts; page numbers in *parentheses* refer to book reviews.)

- Abdomen
 - aortography, 611-13
 - pain in, effect of sympathectomy on, 315
 - veins of, 613-14
- Absenteeism, of cardiac patients, 293
- Ac-globulin
 - serum, 938
 - in thromboembolism, 792
- ACTH. *See* Adrenocorticotrophic hormone
- Acetyl strophanthidin, ventricular fibrillation due to, 647-56
- Acetylcholine, 446
 - abnormal cardiac rhythms due to, 764-69
- Acidosis, due to ammonium chloride, 837-44
- Aerosclerosis, with Raynaud's phenomenon, glyceryl trinitrate for, 683-88
- Actinomycetes, pathogenic, 856
- Actinomycosis, cardiac, 854-57
- Activator, tissue, 416
- Addison's disease, due to vascular disease, 473
- Adenosine triphosphate, 543-49
- renal activity of, 151
- in shock syndrome, 43
- Adenylic acid, in shock syndrome, 43
- Adhesiveness, of blood platelet,
 - in peripheral vascular disease, 271-74
- Adrenal cortex
 - in essential hypertension, 949
 - and excretion of electrolytes, 269, 410
 - and sodium responsiveness, 15
- Adrenal gland
 - enucleation of, and serum sodium, 959
 - in oxygen utilization, 146
 - roentgen irradiation of, for angina pectoris, 302
 - in sodium excretion, 114
- Adrenalectomy
 - bilateral, for malignant hypertension, 783
 - and effect of DOCA on sodium excretion, 782
 - in hypertension, 146
 - and vascular response to carbon dioxide, 805, 807
- Adrenaline
 - intravenous infusion of, 785
 - in test for angina pectoris, 875
 - urinary, in pheochromocytoma, 629-30
 - and vascular response to carbon dioxide, 806, 808, 811, 812, 815
- Adrenocortical hormone, liberated during stress, 451-52
- Adrenocorticotrophic hormone
 - androgenic effects of, 773
 - and blood coagulation, 455
 - cooperative study of, 159-60
 - for cranial arteritis, 785
 - for glomerulonephritis, 151
 - for lupus erythematosus, 628, 630
 - and menstrual function, 773
 - metabolic effects of, 772-73
 - for periarteritis nodosa, 785
 - psychic effects of, 773
 - for rheumatic carditis, 775
 - for rheumatic fever, 770-75, 788
 - and sodium retention, 295
- Adventitia, hyperplasia of, in disseminated lupus erythematosus, 498
- Aerobiosis
 - inactivation of VDM, 44
 - inactivation of VEM, 44
- Age (of patient)
 - and acute nonspecific pericarditis, 322
 - and atherosclerosis, 873
 - and direction of T vector, 184-85
 - and disseminated lupus erythematosus, 494
 - and polyarteritis nodosa, 485
 - and renal functions, 152
 - and repolarization vectors, 190
 - and serum cholesterol, 626
 - and size of ventricles, 439
 - and surgery for patent ductus arteriosus, 132-33
 - and transient hypertension, 465
 - and venous pressure, 678
- Agglutination
 - intravascular, of circulating erythrocytes, 339
 - titer, in rheumatic fever, 632-33
- Albumin, plasma, combination of toluidine dye isomers with, 307
- Albumin-globulin rate in disseminated lupus erythematosus, 494
- in polyarteritis nodosa, 489
- Albuminuria, 719
 - in acute nonspecific pericarditis, 323
 - in disseminated lupus erythematosus, 497, 500
 - in polyarteritis nodosa, 485
- Alcohol, and urinary excretion, 785
- Alcoholism, in liver abnormalities with congestive heart failure, 502
- Alkalosis
 - after ACTH, 773
 - after cortisone, 773
- Alternans of the heart, electrical, ECG in, 462, 620
- American Council on Rheumatic Fever, 799
- American Heart Association, Inc.
 - ACTH and cortisone for rheumatic fever, cooperative study of, 159-60
 - annual meeting, 320
 - Assembly Panel Committees, 799
 - Central Ohio fellowship, 320
 - educational materials issued by, 799
 - fellowships, 160, 318-20
 - new affiliates, 799
 - fund drive, 160
 - grants-in-aid, 479, 638-40
 - new chairman of Research Committee of the Scientific Council, 799
 - Training Course for Cardiovascular Investigators, grant-in-aid toward, 479
- Amine, aliphatic sympathomimetic, 629
- Ammonia, in blood, following VDM formation, 71
- Ammonium chloride
 - acidosis produced by, 837-44
 - and diuretic response to mercurials, 935
- Ammonium sulfate, in stellate ganglion block for angina pectoris, 952
- Amniotic fluid, and maternal pulmonary embolism, 958
- Amyloidosis
 - cardiac, 945
 - primary
 - of cardiovascular system, 950
 - with hyperlipemia and hypercholesterolemia, 466
- Anaerobiosis
 - and VDM, 44, 70
 - and VEM, 44, 70
- See also* Anoxia; Hypoxia
- Anastomosis
 - between azygos and pulmonary vein, 634
 - cervical arteriovenous, for increasing cerebral blood supply, 472
 - portocaval, and catheterization of portal vein, 797
- See also* Patent ductus arteriosus; Shunt
- Anemia
 - and ammonium chloride acidosis in, 842
 - in beriberi heart disease, 360
 - cerebral, and arterial hypertension, 551-57
 - hypochromic
 - in disseminated lupus erythematosus, 494
 - in polyarteritis nodosa, 489
- Anemocyelia, 832
 - as indication for sympathectomy, 835
- Anesthesia
 - and carotid-occlusion-pressor reflex, 630
 - cyclopropane, 629
 - and ventricular arrhythmia, 469
 - and formation of vasotropic factors, 71
 - and formation of VDM, 56-57
 - high spinal
 - blood pressure fall following, 950

- Anesthesia (*Cont'd*)
 in hypertension, 785
 vs. TEAC, for autonomic blockade, 626
 pentobarbital, 56
 and vascular response to carbon dioxide, 806
 spinal
 methoxamine for hypotension of, 309
 recovery after apparent death from, 476
 in surgery for patent ductus arteriosus, 130
- Aneurysm
 aortic, 471
 dissecting, 474
 of abdominal aorta, 791
 in obstruction of duodenum, 316
 arterial, 789
 arteriosclerotic, of abdominal aorta, 612
 arteriovenous pulmonary, 795
 of axillary artery, 796
 cardiac, angiocardiology, 789
 pulmonary with patent ductus arteriosus, 142
 of pulmonary artery, 627
 pulmonary arteriovenous, 778
- Angiitis, hypersensitivity, 489
 vs. anxiety pain, 448
 bilateral stellate ganglion block for, 952
 ECG changes with exercise, 373
 of effort, 786
 and hiccup, 780
 effort test in, 779
 khellin for, 80, 87, 302
 radio-iodine for, in euthyroid patients, 779
 roentgen irradiation of the adrenals for, 302
 tests for, 875
 and thyrotoxicosis, 142
 in twenty-two lead ECG, 434
 visamin for, 80-87, 302
- Angiocardiology, 154, 606-14, 617, 633
 cardiac aneurysm, 789
 in children, 154
 death following, 153, 315
 ECG alterations during, 658-62, 946
 exposure timing device, 634
 after ligation of patent ductus arteriosus, 634
 pulmonary artery segment, 634
 synchronous, at right angled planes, 460, 461
 of thoracic aorta, 957
 transposition of great vessels, 633
- Angioma, spider, 502
 Angiotonin, 72, 811
- Anorexia
 after visamin administration, 85
- Anoxemia
 ECG of, and cytochrome C, 144
 mental changes in, during oxygen therapy, 477
See also Hypoxia
- Anoxia
 and cor pulmonale, 703, 717
 myocardial, in potassium intoxication, 903
See also Hypoxia
- Anspannungszeit, 955
- Anterior pituitary gland and epinephrine, 468
 factors from, 793
 and norepinephrine, 468
- Anthelmintic, ECG changes following use of, 944
- Anticoagulant
 for infarction
 cerebral, 140
 myocardial, 141
 leukocyte aggregating properties of, 345
 in plasma, 939
See also Dicumarol; Heparin; Tromexan
- Antidiuretic hormone, 268, 294-95
 effect of posture on, 112
 and emotional stress, 451
- Antiferritin serum, and VDM activity, 72-73
- Antihyaluronidase, in rheumatic fever, 632-33
- Antistreptokinase, in rheumatic fever, 632-33
- Antistreptolysin "O," in rheumatic fever, 632-33
- Antithrombin, plasma, as test for intravascular clotting, 455
- Antitrypsin, 416
- Anuria, 299, 959
- Anxiety, and hypertension, 449-50
 abdominal
 aneurysm of, 316, 474, 791
 chronic obstruction of, 791
 visualization of, 611-13
 anomalies of, 213
 arteriography, 635
 arteriosclerotic lesion of, induced by freezing, 795
 ascending, rupture of, 466
 atherosclerosis, 860-62
 coarctation of
 direct aortography in, 471
 ECG, 573-74
 effect of shunts on, 32-40
 hemodynamic changes in, 17-30
 in infants, 618
 reverse, in syphilitic aortitis, 155
 ECG from, 99
 freezing of, arteriosclerotic lesions from, 627
 lower abdominal, systolic murmur from, 474
 pulse waves, 393, 395
 spontaneous rupture of, 149
 thoracic, angiocardiology, 957
- Aortic arch, reflex arcs from blockade of, 258
- Aortitis, syphilitic, and reversed coarctation of aorta, 155
- Aortography
 abdominal, 611-13
 direct, in coarctation of aorta, 471
 retrograde, 789
 thoracic
 and patent ductus arteriosus, 777
- Appendage, left auricular, ligation of, for recurrent embolization, 472
- Appetite, loss of, after visamin administration, 85
- Arborization block, 418-19, 431
- Arrhythmia
 in congenital heart disease, 576
 due to cyclopropane-epinephrine, quinidine for, 787
 due to digitalis, potassium for, 468
 emotional, 446-47
 and intravenous procaine, 312, 628
 and magnesium, 467
 paroxysmal, from psychosomatic viewpoint, 637
 in potassium intoxication, 889, 902-03
 during right heart catheterization, 459
 sinus, 898
 during surgery, 628
 ventricular
 in auricular fibrillation, 621
 and cyclopropane anesthesia, 469
See also Fibrillation; Flutter; Tachycardia
- Arterenol, fluorimetric studies of, 309
See also Noradrenaline
- Arterial disease, with Raynaud's phenomenon, glyceryl trinitrate for, 683-88
- Arteriography
 aortic, 635
 in arteriosclerotic vascular insufficiency, 316
 cerebral, 633
 coronary, 282-87
 peripheral, of extremities, 609-11
 timing of exposures, 606
- Arteriole
 pulmonary, 528, 540
 and autonomic nervous system, 625-26
- renal, 716, 717
- Arteriosclerosis
 coronary, in Negro and white races, 942
 experimental canine, effect of choline on, 332-38
 obliterans
 in cold climates, 636
 with Raynaud's phenomenon, 683-84
 reactive hyperemia in, 832-34
 pulmonary, 302
 and serum cholesterol level, 335
See also Atheroma; Atheromatosis; Atherosclerosis
- Arteritis
 cranial
 ACTH for, 785
 cortisone for, 785
 with mycotic infection of brain, 148
 pulmonary, 474
 in congenital heart disease, 617-18
 in pulmonary hypertension, 529
- Arthritis
 and glomerulonephritis, 466
 non-rheumatoid, streptococcal

- agglutination titer in, 632-33
- rheumatoid
cortisone for, 219
and emotion, 445
and heart disease, 314
and rheumatic fever, 153
streptococcal agglutination titer in, 632-33
- Artery (ies)
aneurysm, 789
axillary, aneurysm of, 796
brachial, compression of, 695
carotid, pulse waves in, 393
cerebral, in polyarteritis nodosa, 488
coronary. *See* Coronary artery
digital, resistance in, 700
embolism of, in mitral stenosis, 363-66
external iliac, thrombosis in, 317
iliac, pulse waves in, 393
inferior mesenteric, occlusion of, 318
intrapulmonary, in cor tri-
loculare biatriatum with
subaortic stenosis, 524-29
normal, arteriogram, 610
occlusion disease of, with Ray-
naud's phenomenon, 683-87
peripheral arteriography, 609-11
pressure
in aortic coarctation, 17-30,
32-40
and carotid-occlusion-pressor
reflex, 630
in patent ductus arteriosus,
301
pulmonary. *See* Pulmonary
artery
right subclavian, left-sided
origin of, 457
vertebral, and cervical vertebrae, 798
- Ascites, 502
- Aspergillosis, with brain involve-
ment, 148
- Asphyxia, in reflex inhibition of
the heart, 949
- Asthenia, neurocirculatory, 450-51
- Asthma, cardiac, and blood pres-
sure, 779
- Ataxia, Friedreich's, cardiopathy
in, 796, 797
- Atebrin, 150
- Atheroma
in chickens, 116-19
thoracic, 871
See also Atheromatosis; Athero-
sclerosis
- Atheromatosis
of chick, age factor in, 867-74
and organ lipidosis, 871
See also Atheroma; Athero-
sclerosis
- Atherosclerosis
in chicks, and hypertension due
to dietary salt, 859-62
and choline chloride, 794
and diabetes, 793
reversal of, in chicken, 118-19
See also Atheroma; Athero-
matosis
- ATP. *See* Adenosine triphosphate
- Atresia
tricuspid, 619
congenital, 460
ECG, 568, 569
- Atropine, and vascular response to
carbon dioxide, 804, 807-
08, 813
- Atrium
pressure of, during pericardial
effusion, 379-83
right, inflow, 632
See also Auricle
- Aureomycin
for actinomycosis, 857
and clotting time, 455
and coagulation, 301
- Auricle
anomaly of, 213-14
appendage of, ligation of, for
recurrent embolization,
472
conduction of impulse in, 946
interauricular communication,
457
left
calcification of, 627
in cor triatriatum, 618
size of, in patent ductus ar-
teriosus, 129
response of, to acetylcholine
764-68
right, pressure curves from, in
constrictive pericarditis,
881-87
See also Atrium
- Auricular appendage, left, ligation
of, for recurrent emboliza-
tion, 472
- Auricular fibrillation. *See* Fibrilla-
tion, auricular
- Auriculoventricular block
in paroxysmal ventricular tachy-
cardia, 460, 461
retrograde conduction in, 143
- Auscultation, in aortic coarcta-
tion, 28
- Autonomic nervous system
innervation of, by procaine, 151
in pulmonary arteriolar resist-
ance, 625-26
and vascular response to carbon
dioxide, 807, 811
- Axillary artery, aneurysm of, 796
- Azotemia
in polyarteritis nodosa, 485
due to sodium deficiency, 12
- Back, lead from, in posterior myo-
cardial infarction, 459
- Bacteria, of heart valves, peni-
cillin for, 139
- Bacterial endocarditis. *See* Endo-
carditis
- Ballistocardiography
coronary artery disease, 668-72
essential hypertension, 666-68
low frequency, critically
damped, 797
portable electromagnetic, 663-
672
photoelectric pick-up vs. elec-
tromagnetic recorder, 663
vector recording, 797
after visamin administration,
84
- Barbiturates, for Diodrast mor-
tality in mice, 787
- Barium chloride, 811, 812
- Bed rest, and plasma volume, 312
- Beat premature ventricular
in cardiac catheterization, 101
and retrograde conduction,
738-50
form of, 101-02
- Bedpan, energy expended on, 959
- Bellevue Hospital, Work Classi-
fication Unit, Adult
Cardiac Clinic, 289
- Benadryl, and vascular response to
carbon dioxide, 808
- Benzodioxane
as adrenergic blocking agent, 304
and cardiovascular response
to epinephrine, 255-56, 258,
259
to norepinephrine, 255-59
as test for pheochromocytoma,
306, 464-65
- Beriberi heart disease, 352-61
- Bile, excretion of, in rat, 630
- Bilirubin, 504
- Blanching, 446
- Bleeding
and excretion of electrolyte,
260-70
reduction of, by pentame-
thonium iodide, 310
See also Hemorrhage; Phle-
botomy
- Block, 462
adrenergic
and carotid-occlusion-pressor
reflex, 630
in toxicemic hypertension, 304
arborization, 418-19, 431
- A-V
in auricular paroxysmal
tachycardia, 621
retrograde conduction in, 143
bundle branch. *See* Bundle
branch block
congenital, 457, 620
electrical alternans of the heart,
ECG in, 462
intraventricular, 460
vs. infarction, 458
localization of, 947
in potassium intoxication,
889-90
vectorcardiography, 947
and pregnancy, 620
stellate ganglion
for angina pectoris, 952
for cerebral vascular lesion,
155
- Blockade
autonomic, 950
and vascular response to car-
bon dioxide, 807, 811
TEAC vs. high spinal anes-
thesia, 626
- Blood
ammonia in, following VDM
formation, 71
arterial, oxygen saturation of,
470
calorimetric measure of, 312
cholesterol, 475
clot, electrolytic resistance of
140

- Blood** (*Cont'd*)
 coronary venous oxygen content of, 522
 hepatic flow, during sodium restriction, 10, 11
 ketone bodies in, 475
 loss of, in shock syndrome, 42-43
 lupus erythematosus inclusion phenomenon, 156
 pH, and vascular reactivity, 809-10, 815, 817
 redistribution of, by digitoxin, 410
 sludged, 339, 348-49
 in tumor bearing hamsters, 348
 uric acid in, following VDM formation, 71
 vessels
 of kidney, 784
 of muscle, 312
 volume
 determination of, in surgery, 306-07
 of the lesser circulation, 474
 in shock from myocardial infarction, 619
See also Anticoagulant; Circulation; Coagulation; Pressure
- Blushing**, 446
- Body water**, 631, 956
- B.O.E.A.** *See* Tromexan
- Bone marrow**, lupus erythematosus inclusion phenomenon of, 156
- Book reviews**
 Conn, H. F.: *Current Therapy* 1950, (479)
 Lutembacher, R.: *Le rétrécissement mitral*, (478)
 Marvin, H. M., Wright, I. S., Page, I. H., Jones, T. D., and Rutstein, D. D.: *You and Your Heart*, (478)
 Reich, N. E.: *Diseases of the Aorta*, (478)
 Samuel, S. S.: *Management of Peripheral Arterial Diseases*, 479
- Brachial artery**, compression of, 605
- Bradycardia**, sinus, and emotion, 449
- Brain**
 injury to, pulmonary edema following, 778
 mycotic infection of, 148
 in polyarteritis nodosa, 488
- Bromsulfalein**, abnormal retention of, 504
- Bronchopneumonia**, in disseminated lupus erythematosus, 498
- Bundle branch block**
 anatomic-clinical studies of, 947
 bilateral, 947
 distinction of, 303
 and excitation process, 429-31
 exertional, 948
 left
 ECG, 589-99
 in potassium intoxication, 902
 ventricular gradient in, 594-99
 oxygen therapy for, 953
 in potassium intoxication, 891, 902
 prolongation of QRS complex, 890
 right
 in auricular septal defect, 566
 cavity potentials in, 198-201
 spatial vectorcardiogram in, 600-05
- Burning**
 epigastric, after visammin administration, 85
- C¹⁴-DEA**, 171-80
- C¹⁴-dicumarol**, 171-80
- C6**. *See* Hexamethonium
- C-5968**. *See* 1-Hydrazinophthalazine.
- C-7337**. *See* Regitine
- C.C.K.**
 and cardiovascular response to epinephrine, 256-57
 and cardiovascular response to norepinephrine, 256-57
See also Hydergin
- Calcification**
 auricular, 627
 cardiac, 942
 of cardiac openings, 156
 of myocardium, 690-93
 in patent ductus arteriosus, 940-41
- Capillaroscopy**, in congenital heart disease, 457, 616
- Capillary**
 hemorrhage, rutin for, 954
 microscopy, in congenital heart disease, 616
 pressure, in mitral valvular disease, 537, 538-39
- Carbohydrate**, metabolism of, 772-73
- Carbon**
 metabolism of, 772-73
 radioactive, in labeling of dicumarinyl derivatives, 171-80
- Carbon dioxide**
 inhalation of mixtures of, vascular reactivity following, 801-18
 plasma concentration of, 277-78
- Carbohydrate**
 metabolism
 effect of ACTH on, 772-73
 effect of cortisone on, 772-73
- Cardiac arrest**, vagus nerve in, 949
- Cardiac denervation**, and hypotensive reaction to carbon dioxide, 804
- Cardiac filling**, impairment of, during progressive pericardial effusion, 377-83
- Cardiac index**, and adenosine triphosphate, 546-47
- Cardiac inhibition**, reflex, in sturgeon, 156
- Cardiac output**
 and auricular fibrillation, 625
 after bleeding, 264, 265-66
 effect of compression of neck on, 110
 and digitoxin, 406-11
 effect of emotion on, 447-48
 and HJ complex, 667
 and kidney flow, 713
 in mitral insufficiency, 533-34
 in mitral stenosis, 533
 in patent ductus arteriosus, 126
 effect of posture on, 109-10
 and pulmonary artery pressure, 536-37
 and renal blood flow, 713-15, 718
 and sodium excretion, 112
 after visammin administration, 84
- Cardiac work**
 after exercise, 225-27
 effect of emotion on, 447
 after sympathetic nerve stimulation, 942
- Cardiomegaly**, idiopathic, 849
- Cardiopressor**, in burned muscle, 952
- Cardioscope**, 790
- Cardiothoracic ratio**, after surgery for patent ductus arteriosus, 135
- Cardiovascular disease**, trigeminal heart reflex in, 147
- Cardiovascular system**
 in diabetes mellitus, 627
 in infant, 637
 in polyarteritis nodosa, 483
 primary amyloidosis of, 950
 toxic reactions of, to mercury, 932
- Carditis**
 rheumatic
 cortisone for, 215-22, 774-75
 in elderly patients, 956
 oxygen therapy for, 314
 pregnancy hormones for, 314
- Carotid artery**, pulse waves in, 393
- Carotid-occlusion-pressor reflex**, 630
- Carotid sinus**
 reflex, 26
 blockade of, 258
 removal of, and hypotensive reaction to carbon dioxide, 804, 807
 and sodium excretion, 112
- Carotid sinus syndrome**, with epilepsy, surgical relief of, 798
- Castration**, and blood pressure, 623, 798
- Catheter**
 for aortic arteriography, 635
 for coronary arteriography, 287
- Catheterization**
 cardiac
 and adhesive pericarditis, 959
 in diagnosis of congenital heart disease, 141
 with intracardiac manometer, 390-98
 in mitral valvular disease, 531
 in patent ductus arteriosus, 129
 premature ventricular beats in, 101
 and ventricular fibrillation, 156

- of coronary sinus, 521-22
intracardiac, 944
of left ventricle, 95, 198-201
of portal vein, after portocaval anastomosis, 797
of right heart, arrhythmia during, 459
- Cation exchange resins, 779, 959
- Central nervous system, and vascular response to carbon dioxide, 814
- Cephalin flocculation, 504
- Cerebral artery, in polyarteritis nodosa, 488
- Cerebrum, oxygen consumption of in uremia, 559-63
- Chemotherapy, 489, 857
for bacterial endocarditis, 777
in surgery for patent ductus arteriosus, 131-32, 135
- Chest, diameter of and venous pressure, 678
- Chest wall, rheocardiography of, 471
- Chiari's network, 521
- Chicken
atheroma in, 116-19
- Chillblains, and prothrombin level, 300
- Child
angiocardiology in, 154
deaths from mercury, 932
rheumatic carditis in, 314
See also Infant
- Chloride
excretion of, 276-81
after bleeding, 265, 267
effect of compression of neck on, 109, 110
effect of posture on, 107-08
and Pitressin, 941
plasma concentration of, 276-78
See also Sodium chloride
- Chloroform, and proteolytic activity, 416
- Cholesterol, 475, 504
and atheroma in chickens, 116-19
dietary, 795
in edema fluid, 148, 302
in liver, after choline feeding, 338
- plasma
during rapid weight reduction, 864-66
at various age periods of chick, 868-70, 872
- serum
and age of patient, 626
after choline feeding, 336-37
and dietary vegetable fat, 641-45
after egg yolk feeding, 795
and thiouracil feeding, 332-35
- Choline, 11
and experimental canine arteriosclerosis, 332-38
- Choline chloride
and atherosclerosis, 794
- Chordae tendineae, ruptured, 237
- Chromium, radioactive, 956
- Cinchona alkaloids, in renal hypertension, 399-403
- Cinefluorography, for teaching purposes, 316
- Circulation
acral, effect of glyceryl trinitrate on, 683-85
alterations in, above and below aortic coarctation, 26-28
in beriberi heart disease, 359
cerebral
and sodium excretion, 113
and metabolism in hypertthyroidism, 463
in neurosyphilis, 625
in uremia, 558-63
coronary, 624
in aortic insufficiency, 620
and auricular fibrillation, 625
determinations of, 89-93
and ergonovine, 310
following sympathetic nerve stimulation, 623
and diethylaminoethanol, 467
digital
and aneurysm of axillary artery, 796
pressure-flow relationship, 694-701
response to cold, 784
disturbance of, following sympathectomy for hypertension, 634
and edema of congestive heart failure, 298
and emotion, 444-53
fetal, study of, using radio-phosphorous, 313
in foot, after lumbar sympathectomy, 793
effect of head-down position on, 949
hepatic, during shock, 71, 74
homeostasis, hepatorenal factors in, 42-78
lesser, blood volume of, 474
effect of noradrenaline on, 783
peripheral
delayed pulse wave in, 638
in hemorrhagic hypotension, 43
and Priscoline, 820-29
and sodium excretion, 113
and posture, 783
in left heart failure, 954
pulmonary
in mitral insufficiency, 536
in mitral stenosis, 535-36
reactive hyperemia, 830-36
renal
in chronic congestive failure, 625
after histamine injection, 148
and hypertension, 464
juxtamedullary, 477
during shock, 70
after surgery for patent ductus arteriosus, 135
time
and digitalis, 150
and strophanthin, 150
oximetric study of, 470
- Cirrhosis, hepatic, myocardosis in, 308
- Claudication, intermittent, 792, 794
- Clot retraction, 940
- Coagulation
and ACTH, 455
- and amniotic fluid, 958
and aureomycin, 301
clotting time
and aureomycin, 455
heparin-sensitized, 455
and cortisone, 455
intravascular, plasma anti-thrombin test for, 455
postoperative, 939
thermal, of blood serum, 140
and toxemia of pregnancy, 939
See also Anticoagulant
- Coarctation of aorta
direct aortography in, 471
ECG, 573-74
effect of shunts on, 32-40
hemodynamic changes in, 17-30
in infants, 618
reversed, in syphilitic aortitis, 155
See also Stenosis
- Cocaine
in left ventricle, ECG changes following, 421
in right ventricle, ECG changes following, 421-22, 425-26
- Cold
circulatory response to, 784
effect of, on denervated heart, 149
- Cold-pressor test, and anxiety, 449-50
- Collagen, in disseminated lupus erythematosus, 498
- Commode, bedside, energy expended on, 959
- Concentration, and acral vasoconstriction, 445
- Conduction
auricular, 946
myocardial, effect of potassium on, 901, 902-03
in normal heart, 890
retrograde
in A-V block, 143
from premature ventricular contractions, 738-50
ventriculoatrial, 745-47
- Congenital cardiac anomalies
mongolism in, 142
in situs inversus of abdominal viscera with levocardia, 202-14
- Congenital heart block, 457, 620
- Congenital heart disease
capillaroscopy in, 457, 616
cardiac catheterization in diagnosis of, 141
cyanotic, axis deviation in, 617
ECG in, 304, 564-77, 948
unipolar, 941
V leads, 617
with necrotizing pulmonary arteritis, 617-18
- Q-Tc pattern during exercise, 371, 375
- with subdiaphragmatic lateral heterotaxy, 141
- Congenital pulmonary stenosis, with intact ventricular septum, 940
- Congenital tricuspid atresia, ECG in, 460

- Congestion
 cranial, in head-down position, 949
 pulmonary, in cor triloculare biatriatum with subaortic stenosis, 529
 venous, in sodium excretion, 113
 Congestive heart failure
 ammonium chloride acidosis in, 842, 843
 cation exchange resins for, 779
 dicumarol for thromboembolism in, 143
 hepatic abnormalities in, 501
 mural thrombosis in, 366
 renal functions in, 294-299, 625
 diurnal variations of, 619
 in utero, 143
 Coniine, 815
 Conner, Lewis Atterbury, 163
 Constipation, after visamin administration, 85
 Contraction, isometric, of the heart, 955
 Contusion
 of heart, in coronary disease, 458, 619
See also Injury; Trauma
 Cor pulmonale
 acute, 958
 and anoxia, 703, 717
 chronic, Q-T interval in, 733-36
 kidney function in, 703-20
 PAH clearance in, 712-13, 718-19
 renal vascular resistance in, 714, 715
 repeated bleeding for, 941
 Cor triatriatum, 618
 Cor triloculare biatriatum ECG, 566, 567
 with subaortic stenosis, intrapulmonary arteries in, 524-29
 Coronary artery
 disease of, ballistocardiography, 668
 embolic occlusion of, 240-41
 and epinephrine, 787
 ligation of, for producing ischemic necrosis of heart, 240
 and lipid interrelationship, 142
 and norepinephrine, 787
 retrograde aortography, 789
 visualization of, 282-87, 942
 Coronary flow, determinations of, 89-93
 Coronary heart disease
 due to contusion, 458, 619
 effect of exercise on, 226-27
 Coronary insufficiency. *See* Insufficiency, coronary
 Coronary sinus, variations of orifice of, 514-23
 Coronary thrombosis
 acute, relief of pain of, 120-23
 experimental, 241
 Corpuscular volume, and epinephrine, 953
 Corrigan pulse, in beriberi heart disease, 359
 Corticoids, urinary formaldehydrogenic, in hypertension, 622-23
 Cortisone
 androgenic effects of, 773
 and blood coagulation, 455
 for cranial arteritis, 785
 for disseminated lupus erythematosus, 628, 630
 adhesive platelet count in, 272
 ECG, 621
 for hypertensive vascular disease, 147
 and menstruation, 773
 metabolic effects of, 772-73
 for nephritis with edema, 469
 for periarteritis nodosa, 785
 psychic effects of, 773
 for rheumatic carditis, 774-75
 acute, 215-22
 for rheumatic fever, 770-75, 788
 cooperative study of, 159-60
 dosage, 773-74
 for rheumatic pancarditis, 314
 Cramps
 abdominal, after visamin administration, 85
 Creatinine
 clearance of
 effect of compression of neck on, 108
 effect of posture on, 108-09
 effect of digitoxin on, 406-11
 during rice diet, 12
 Crush syndrome, 784
 Curare, and vascular response to carbon dioxide, 806
 Cyanosis
 congenital
 blood constituents in, 456
 erythrocytes in, 456
 leukocytes in, 456
 in patent ductus arteriosus, 126
 and surgery for patent ductus arteriosus, 134
 Cyclopropane, 629, 787
 and formation of VDM, 56-57
 in surgery for patent ductus arteriosus, 130
 Cystic mucoid degeneration of aortic media, 149
 Cytochrome C
 of anoxemia, ECG, 144
 and vascular response to carbon dioxide, 808
 Damping of pressure waves, 27-28
 DCG. *See* Desoxycorticosterone glycoside
 DEA
 C¹⁴-labeled, 173-80
 vs. dicumarol, 171-74
See also Tromexan
 Decompression, high altitude, 475
 Defibrillation
 of ventricles, 307
 Deflection, positive, in intraventricular ECG, 97
 Denervation, cardiac
 effect of cold on, 149
 and reaction to carbon dioxide, 804
 Depressor response, to acute inflammation, 784
 Desoxycorticosterone acetate
 hypertension induced by, 862
 and sodium excretion of adrenalectomized rats, 782
 and sympathomimetic pressor effects, 630
 vascular disease due to, 793
 Desoxycorticosterone glycoside, 629
 renal effects of, 782
 Deuterium oxide, in measurement of total body water, 956
 Dextrocardia
 ECG, 565
 with situs inversus, 142
 D.H.K. *See* Dihydroergokryptine
 Diabetes mellitus, 627
 and atherosclerosis, 793
 bilateral adrenalectomy for, 783
 ketone bodies in blood of, 475
 with proteinuria, 152
 Diabetes mellitus
 renal vascular lesions in, 473
 Diarrhea, after visamin administration, 85
 Dibenamine
 and cardiovascular response to epinephrine, 255-56, 258, 259
 and cardiovascular response to norepinephrine, 255-59
 Dicumarinyl derivatives, clinical evaluation of, 171-80
 Dicumarol
 absorption of, 174
 and adhesive platelet count, 272, 273
 C¹⁴-labeled, 173-80
 vs. DEA, 171-74
 and erythrocyte sedimentation rate, 301
 for platelet thromboembolism, 344-45
 prothrombin determination by isolation technic, 140
 for thromboembolism in congestive heart failure, 143
 vs. Tromexan, 164-65, 168
 Diet
 and atheroma in chickens, 116-119
 in beriberi heart disease, 358, 361
 in congestive heart failure, 298
 deficiency in, and liver abnormalities with congestive heart failure, 502
 Kempner regimen in hypertension, 305
 low sodium, in essential hypertension, 1-15
 Diethylaminoethanol, 467
 Digitalis
 and circulation, 150
 and circulation pressure-flow relationship of, 694-701
 for enlarged hearts and sinus rhythm, 309
 potassium for arrhythmia due to, 468
 and spatial vector ECG, 192
 ventricular fibrillation due to, 647-56
 and ventricular strain, 149
 Digitoxin
 and cardiac output, 406-11
 and creatinine clearance, 406-11

- and excretion of potassium, 409
- and excretion of sodium, 405-11
- and glomerular filtration, 406-11
- peripheral vascular collapse following, 952
- and right ventricular pressure in heart failure, 933
- ventricular tachycardia following, 952
- Digoxin, and cardiac effects of magnesium ion, 954
- Dihydroergocornine, heart diseases differentiated by, 151
- Dihydroergokryptine
 - and cardiovascular response to epinephrine, 256-57
 - and cardiovascular response to norepinephrine, 256-57
- Dilatation, for infundibular stenosis, 778
- Diodrast, 607
 - in coronary arteriography, 287
 - mortality from, in mouse, 787
- Diquinol, as coronary vasodilator, 954
- Distention, gaseous, after visamin administration, 85
- Diuresis
 - effect of posture on, 112
 - mercurial, 311
 - after visamin administration, 85
- Diuretic, mercurial, 468, 778-79
 - administration of, 934
 - circulatory action of, 308
 - clinical aspects of, 926-36
 - in congestive heart failure, 298-99
 - contraindications, 935
 - cutaneous reactivity to, 310
 - distribution of, in body fluids, 311
 - dosage, 933-34
 - dosage-response curve for, 311
 - intravenous injection of, 149
 - toxicity of, 628
- Dizziness, after visamin administration, 85
- DOCA. *See* Desoxycorticosterone acetate
- Drowsiness, after visamin administration, 85
- Ductus arteriosus
 - angiocardiology after ligation of, 634
 - See also* Patent ductus arteriosus
- Duodenum, obstruction of, by aneurysm of abdominal aorta, 316
- Dyspnea
 - in disseminated lupus erythematosus, 496, 498
 - emotional, 451
 - in polyarteritis nodosa, 488
- Dystrophia myotonica, 958
- Dystrophy, progressive muscular, with cardiac involvement, 846-52
- Ear, necrosis of, with abacterial endocarditis, 139
- Ebstein's disease, ECG, 568
- Edema, 275
 - cholesterol in, 148, 302
 - of congestive heart failure, 294-98
 - and antidiuretic hormone, 295
 - and emotion, 451
 - with nephritis, cortisone for, 469
 - peripheral, in beriberi heart disease, 359
 - protein nitrogen in, 148, 302
 - pulmonary
 - and blood pressure, 779
 - due to brain trauma, 778
 - in influenzal pneumonia, 147
 - in left ventricular failure, 298
 - and pulmonary capillary pressure, 539
- Effort
 - bundle branch block following, 948
 - effect of, on heart, 224-29
- Effort test, in angina pectoris, 779
- Effusion, pericardial
 - and cardiac filling, 377-83
 - in myelogenous leukemia, 951
 - simulated by thymic tumor, 508-13
- Egg yolk, and serum cholesterol, 795
- Einthoven triangle theory, 923-25
- Eisenmenger complex, 528, 617-18
- ECG, 566-67
- Electrocardiography
 - amyloidosis of the heart, 945
 - in angiocardiology, 658-62, 946
 - anoxemia, and cytochrome C, 144
 - anthelmintic use of Filicin, 944
 - aortic insufficiency, 620
 - from aorta, 99
 - arteriovenous fistula, 576
 - atrial septal defect, 145
 - auricular septal defect, 565-66, 568, 569-71
 - beriberi heart disease, 352-60
 - bronchial, 911-21
 - coarctation of aorta, 573-74
 - conduction of impulse in auricles, 946
 - congenital heart disease, 304, 564-77, 941, 948
 - axis deviation in, 617
 - V leads in, 617
 - congenital tricuspid atresia, 460
 - coronary trilocular biatriatum, 566, 567
 - in coronary arteriography, 283
 - cortisone, 622
 - dextrocardia, 565
 - direct recording, 144
 - disseminated lupus erythematosus, 495, 496-97, 499
 - Ebstein's disease, 568
 - Einthoven triangle theory, 923-25
 - Eisenmenger complex, 566-67
 - electrical alternans of the heart, 462, 620
 - epidemic hepatitis, 143
 - esophageal, 145, 620-21
 - and emotional disorder, 447
 - during exercise, 368-76
 - in exercise test for coronary insufficiency, 876-80
- experimental production of
 - changes in, 242-43
- glycoside-induced changes in normal persons, 744
- heart frequency, 780
- hypertrophy
 - right ventricular, 622, 943
- during hypoxia, 947
- intracavitary potentials of left ventricle, 95-104
- and intravenous procaine, 312, 628
- intraventricular block vs. infarction, 458
- left bundle branch block, 589-99
- Lutembacher's syndrome, 565
- mild hypothyroidism, 780
- myocardial infarction
 - posterior, 459
 - and postural changes, 752-62
- normal subjects, 438
- in old age, 144
- orthostatism, 945
- oxygen deficiency in pulmonary tuberculosis, 944
- patent ductus arteriosus, 128, 574-76
- pericarditis
 - acute nonspecific, 324, 325-27
 - chronic constrictive, 621
- pneumoperitoneum, 143
- poliomyelitis, 459
- polyarteritis nodosa, 483, 484
- position of heart, 906-10
- post-tachycardia, 304
- effect of potassium on, 945-46
- potassium chloride in left ventricle, 420
- potassium deficiency in chickens, 621
- potassium intoxication, 889-904
- pre-agonal states, 946
- of premature newborns, 945
- of premature ventricular beats, 102
- progressive muscular dystrophy, with cardiac involvement, 851
- rheumatic carditis, after cortisone therapy, 216-18
- RS-T pattern in myocardial injury, 144
- RS-T segment depression in visamin therapy for angina pectoris, 81, 86
- stenosis
 - aortic, 572-73
 - pulmonic, 568-72
 - subaortic, 572-73
- sympatholytic action of Hydergin, 467
- tetralogy of Fallot, 571-72
- transposition of the great vessels, 572
- trauma of heart, 943
- tricuspid atresia, 568, 569
- unipolar, in congenital heart disease, 941
- unipolar precordial in normal infants, 438-43
- vectorial study of leads, 461
- ventricular fibrillation due to acetyl strophanthidin, 649-55

- Electrocardiography (*Cont'd*)
 ventricular preponderance, 145
 ventricular septal defect, 566-68
 vertical heart pattern, 304
 visual, 144
 Wolff-Parkinson-White syndrome, 304
See also Lead; Vectorcardiography
- Electrolyte
 excretion of, 105-08
 after alcohol, 785
 after bleeding, 260-70
 effect of compression of neck on, 109-11
 and extracellular fluid volume, 624
 in hypertension, 305
 in mercurial diuresis, 931
 effect of posture on, 107-08, 110
 metabolism
 effect of ACTH on, 773
 effect of cortisone on, 773
See also Chloride; Potassium; Sodium; Sodium chloride
- Electrolyte balance, and salt, 280
- Embolism
 arterial, in mitral stenosis, 363-66
 fatal, 473
 in mitral stenosis, 473
 pulmonary
 roentgenology, 788
 without infarction, 308
 maternal, by amniotic fluid, 958
 recurrent
 of intracardiac origin, 140
 ligation of left auricular appendage for, 472
- Embolism
See also Thromboembolism
- Embolus
 blood platelet, 341, 346
 dicumarol for, 344-45
 heparin for, 345
- Embryo, heart of, 956
- Emotion, and circulation, 444-53
- Emphysema, 373
 pulmonary, 475
- Emphysema cor pulmonale, 373
- Employment, of cardiac patients, 289
- Encephalopathy, hypertensive, 948
- Endarteritis, pulmonary, in patent ductus arteriosus, 126
- Endocarditis
 abacterial, with necrosis of ears, 139
 aspergillus, 776
 bacterial, 139
 chemotherapy, 777
 penicillin for, 300
 reticuloendothelial system in, 300
 candida, 776
 fetal, and idiopathic cardiac hypertrophy, 300
 lenta, 626
 mycotic, 776
 due to *Neisseria flava*, 938
 nonbacterial verrucous in disseminated lupus erythematosus, 495, 496
 in patent ductus arteriosus, 126
 post war, 626
 subacute bacterial, 629, 776
 due to *Streptobacillus moniliformis*, 938
 and protein lability tests, 139
 with valvular deformities and arteriovenous fistula, 776
- Endocardium
 ECG changes following injury to, 420-25
 pressure injury effects, 99
 vascular, during infection, 346
 ventricular, sensitivity of, 100-101
- Enzyme, proteolytic, 416
- Eosinophil, in rheumatic fever, 772
- Eosinophilia, in polyarteritis nodosa, 489
- Epilepsy, with carotid sinus syndrome, surgical relief of, 798
- Epinephrine
 anterior pituitary-adrenal cortical stimulating effect of, 468
 and arterial pressure, 949
 cardiovascular responses to and benzodioxane, 255-58
 and C6, 256-59
 and C-5968, 256-59
 and C-7337, 256-59
 and C.C.K., 256-57
 and D.H.K., 256-57
 and Dibenamine, 255-57
 and Priscoline, 256-59
 and TEA, 256-59
 and coronary arteries, 787
 and emotional tachycardia, 446
 fluorimetric studies of, 309
 n-alkyl homologues of, 796
 pressor effects of, potentiated by DOCA, 630
 and pulse rate, 949
 in rat mesoappendix test, 45-46
 in renal response to anoxia, 717
 responsiveness to, and blood-borne factors, 44
 during stress, 449
 and thoracolumbar sympathectomy, 949
- Ergonovine, 310
- Ergot alkaloids
 dihydrogenated
 and cardiovascular response to norepinephrine, 257
 See also C.C.K.; Dihydroergokryptine
 hydrated, and blood pressure, 149
- Erythrocyte, 301
 adhesiveness of, 348-49
 circulating, agglutination of, 339
- Erythrocytosis, in morbus caeruleus, 466
- Escape, premature ventricular, following extrasystoles, 303
- Esophagus
 leads from
 interpretation of, 145
 in posterior myocardial infarction, 461
 in premature ventricular beats, 738-50
- Etamon chloride, 682
 for Raynaud's disease, 687
See also Tetraethylammonium chloride
- Ethaverine, as coronary vasodilator, 954
- Ethyl chloride, in relief of pain of acute myocardial infarction, 120-23
- Eustachian valve, variations of, 521
- Euthyroidism, with angina pectoris, radio-iodine for, 779
- Excretion. *See under* Chloride; Electrolyte; Sodium; Sodium Chloride; Water
- Exercise
 cardiac output during, 537
 ECG response during, 368-76
 effect of, on heart, 224-29
 pulmonary artery pressure during, 537, 538
 test for coronary insufficiency, 875-80
- Extracellular fluid space, 782
- Extrasystoles, following premature ventricular escapes, 303
- Eye, in oxygen deficiency, 475
- Fähræus phenomenon, 695
- Fat
 dietary, and atheroma in chickens, 116-19
 metabolism of, effect of ACTH on, 773
 vegetable, and serum cholesterol, 641-45
- Fear, 448
- Female
 polyarteritis nodosa in genital tract of, 950
 thromboangiitis obliterans in, 635, 794
- Ferritin, 73
- antidiuretic action of, 307
- Fever, of acute rheumatic carditis after cortisone therapy, 216, 219
See also Rheumatic Fever
- Fiber, Purkinje, and excitation in ventricular myocardium, 424
- Fibrillation
 auricular, 625
 atabrin in, 150
 during cortisone therapy for acute rheumatic carditis, 218
 ECG changes in, due to exercise, 373
 and intracardiac mural thrombi in mitral stenosis, 366
 P wave in, 461
 paroxysmal, 150
 during potassium intoxication, 898-99
 and quinidine, 311
 ventricular arrhythmia in, 621
 mechanism of, 306
 in patent ductus arteriosus, 128

- in potassium intoxication, 889-90
 ventricular, 307, 943
 due to cardiac catheterization, 166
 due to digitalis preparations, 647-56
 khellin for, 466
 mechanism of, 308
 following myocardial damage, 246-47
- Fibrin, and adhesiveness of platelets, 271
- Fibrinogen, and adhesiveness of platelets, 271
- Fibrosis
 pericentral vein, 502
 perivascular, in disseminated lupus erythematosus, 498
- Filicin, anthelmintic use of, 944
- Filtration
 glomerular 406-411
 after bleeding, 262, 264, 268-70
 effect of compression of neck on, 111
 effect of posture on, 109
 effect of salt on, 276-81
 during sodium restriction, 10
 and tubular function in sodium retention, 297
 rate of, and extracellular fluid volume, 624
- Finger, internal temperature of, 784
- Fistula, arteriovenous
 congenital, 611
 ECG, 576
 and endocarditis with valvular deformities, 776
 of lung, 794
 peripheral, 463
 pulmonary, 635
- Fluid
 extracellular
 and kidney function, 624
 measurement of, 162
 loss of, in shock syndrome, 42-43
 pleural, in acute nonspecific pericarditis, 323
 restriction of, in congestive heart failure, 299
- Flocculation, cephalin, 504
- Flow, coronary, after sympathetic nerve stimulation, 942
- Fluorescein, 637
- Fluorimetry
 of arterenol, 309
 of epinephrine, 309
- Flutter, ventricular, 943
- Foot, venous pressure in, 313, 955
- Foramen ovale, patent, with pulmonary stenosis, 940
- Freezing of aorta, lesion due to, 627, 795
- Friedreich's ataxia, cardiopathy in, 796, 797
- Fundus, abnormal, during sodium restriction, 7, 11
- Ganglion block, stellate, 952
 for cerebral vascular lesion, 155
- Ganglionectomy
 and hypotensive reaction to carbon dioxide, 804, 809,
 814, 815
 in thromboangiitis obliterans, 791
- Gastrointestinal system, in polyarteritis nodosa, 487
- Gauer-Gienapp intracardiac manometer, 391-97
- Genital tract, female, polyarteritis nodosa in, 950
- Geriatrics
 ECG in, 144
 in extensive organic heart lesions, 618
 rheumatic carditis, 956
 rheumatic valvular disease, 633
 salt depletion syndrome following mecurial diuresis, 311
 and venous pressure, 678
- Globulin, Ac, 938
 in thromboembolism, 792
- Glomerular filtration. *See* Filtration
- Glomerulonephritis
 adrenocorticotropin for, 151
 and arthritis, 466
 in polyarteritis nodosa, 486
- Glomerulus, wire-loop change of, in disseminated lupus erythematosus, 497-98, 500
- Glucuronic acid, urinary excretion of, 632
- Glyceryl trinitrate
 for Raynaud's disease, 681-93
 for Raynaud's phenomenon, 681-93
- Glycoside, cardiac, ECG changes due to, 944
- Great vessels, transposition of angiocardiology, 633
 and congenital cardiac malformations, 940
- Gynecomastia, and thymic tumor, 512
- Heart
 activity of, after surgery for patent ductus arteriosus, 135
 after cortisone therapy, 216
 and adenosine triphosphate, 545, 546-47, 549
 amyloidosis, 945
 arrest, vagus nerve in, 949
 arteriosclerotic, adhesive platelet count in, 272
 axis, deviation of, 575, 577, 617
 with postural changes in myocardial infarction, 753-60
 beriberi, 352-61
 block. *See* Block
 catheterization. *See* Catheterization
 contusion of, in coronary disease, 458, 619
 denervated
 effect of cold on, 149
 and hypotensive reaction to carbon dioxide, 804
 disease
 arteriosclerotic, 583, 585
 differentiated by dihydroergocornine, 151
 hypertensive, 584, 622
 and joint disease, 153
 and rheumatoid arthritis, 314
 in disseminated lupus erythematosus, 495, 496-97, 499
 effect of effort on, 224-29
 electrical alternans of, ECG, 462, 620
 electrical position of, 185-86
 embryonic vs. developed, 956
 enlarged, digitalis for, 309
 excitability of, 312
 failure
 and size of orifice of coronary sinus, 520
 and sodium excretion, 113
 filling, during progressive pericardial effusion, 377-83
 frequency, 780
 and Friedreich's ataxia, 796, 797
 hypertrophy, 465
 index, 546-47
 injury to
 ECG, 943
 from x-ray therapy for peptic ulcer, 316
 innervation, 955
 intracardiac manometry, 390-98
 ischemic necrosis, production of, 240-42
 isometric contraction of, 955
 lesions, in disseminated lupus erythematosus, 493
 and magnesium ion, 954
 middle segment, enlargement of, 788
 mural thrombi in, 363-66
 muscle, in hemorrhagic shock, 49, 53
 normal, low-frequency vibration record of, 583, 586
 output. *See* Cardiac output
 polyarteritis nodosa in, 483, 484
 position
 anatomic vs. ECG, 906-10
 normal, with inversion of abdominal viscera, 202
 primary neoplasms of, 787
 in progressive muscular dystrophy, 846-52
 rate
 and emotion, 446
 after exercise, 225-27
 inspiratory acceleration of, 313
 in neurosis, 446
 during pericardial effusion, 379
 reflex inhibition, 156
 rhythm, emotional, 446-47
 rotation of, and right arm lead, 103
 rupture of, in myocardial infarction, 142
 size
 in beriberi heart disease, 353, 359, 360, 361
 and left bundle branch block, 590-91, 592
 in patent ductus arteriosus, 128
 during sodium restriction, 7
 See also Hypertrophy
 sound
 and atrial septal defect, 145

- Heart (*Cont'd*)
 first, 631, 730-32
 mesosystolic third, 788
 traumatic disease, 951
 valves, penicillin for bacteria on, 139
 venous system, 156
 vertical, ECG pattern, 304
 weight of, and size of orifice of coronary sinus, 520-21
 work. *See* Cardiac work
See also under Congenital; Congestive; Coronary
- Heating
 and blood pressure, 727-29
 and peripheral blood flow, 820-29
 Hematocrit, and epinephrine, 953
 Hematopoiesis
 disorder of, plasma iron in, 307
 following phlebotomy, 466
 Hematuria
 in disseminated lupus erythematosus, 497
 in polyarteritis nodosa, 485
 during sodium restriction, 10
 Hemodynamics. *See* Circulation
 Hemoglobin, metabolism of, in morbus caeruleus, 456
 Hemoptysis, in disseminated lupus erythematosus, 499
 Hemorrhage
 capillary, rutin for, 954
 neurogenic factors in, 71-72
 pulmonary, human thrombin for, 300
 shock from
 and formation of VDM, 70
 and vasotropic content of tissues, 48-59
 following renal occlusion, 63-69
 subarachnoid, with mycotic infection of brain, 148
 in surgery for patent ductus arteriosus, 131
See also Bleeding
- Heparin, 616
 for platelet thromboembolism, 345
 as test of clotting time, 455
 for toxemia of pregnancy, 939
 Heparinization, regional, 951
 Hepatitis, epidemic, ECG in, 143
 Hepatomegaly
 and cardiotherapy, 502
 in polyarteritis nodosa, 487
 Heterotaxy, subdiaphragmatic lateral, with congenital heart disease, 141
 Hexamethonium (C6)
 and cardiovascular response to epinephrine, 256-59
 and cardiovascular response to norepinephrine, 256-59
 for hypertension, 623
 Hexosamine, after streptokinase injection, 414-17
 Hiccup, and coronary disease, 780
 High altitude, and psychomotor performance, 152
 HIJ complex, and cardiac output, 667
 Hippurate. *See* PAH
 Hirsutism, 773
 Histamine
 effect of, on renal circulation, 148
 in shock syndrome, 43
 Histamine diphosphate, 682
 for Raynaud's disease, 687
 Hormone
 adrenocortical, liberated during stress, 451-52
 antidiuretic, 112, 268, 294-95, 451
 pregnancy
 for rheumatic carditis, 314
 and salt conservation, 280
 salt-retaining, 296
See also Adrenocorticotrophic hormone; Cortisone
 HPC, for rheumatic fever, 315
 Hyaluronidase, in rheumatic fever, 771
 nonspecific inhibitor of, 153
 Hydergin
 for hypertension produced by noradrenaline, 783
 sympatholytic action of ECG, 467
 Hydration, and renal function, 279-80
 L-Hydrazinophthalazine (C-5968), and cardiovascular response to
 epinephrine, 256-59
 norepinephrine, 256-59
 Hypercapnia, in reflex inhibition of the heart, 949
 Hypercholesteremia
 of chick, age factor in, 867-74
 and choline feeding, 334
 plasma, 959
 in primary amyloidosis, 466
 due to thiouracil, 332-35
 Hyperemia
 reactive, 831-34
 renal, 718
 Hyperlipemia
 in primary amyloidosis, 466
 of starvation, 864, 865
 Hyperplasia, 498
 Hyperpnea, and adenosine triphosphate, 548
 Hypersensitivity angitis, 489
 Hypertensin, isolation of, from canine blood, 384-89
 Hypertensinogen, 388
 Hypertension
 adrenalectomy in, 146
 and anxiety, 449-50
 arterial
 surgical treatment of, 472
 in disseminated lupus erythematosus, 498
 produced by stimulation of nervous system, 551-57
 in cardiac rupture following myocardial infarction, 142
 with cardiovascular complications, 465
 digital vascular volume index in, 699, 701
 due to dietary salt, 859-62
 due to DOCA, 862
 ECG changes in, with exercise, 373
 and emotion, 449
 in encephalopathy with hypochloremia, 948
 essential
 adrenocortical function in, 949
 ballistocardiography, 666-68
 low sodium in diet, 1-15
 medical treatment of, 146
 oral veratrum viride for, 782
 ventricular gradient in, 303
 hexamethonium bromide for, 623
 high spinal anesthesia in, 785
 incidence of
 and neurosis, 449
 in Puerto Rico, 306
 of increased intracranial pressure, 555-57
 malignant, adenosine triphosphate for, 543-44
 nephrectomy for, 305
 neurogenic, 552, 555
 cinchona alkaloids in, 400-03
 and vascular response to carbon dioxide, 811-13, 815-16
 due to noradrenaline, 943
 Hydergin for, 783
 due to norepinephrine inhibition, 258
 pathogenesis, 146
 from perirenal lymphangioma, 305
 with pheochromocytoma, 472
 from plastic capsule on kidney, 304
 in polyarteritis nodosa, 484, 490
 pulmonary, 529
 and atrial septal defect, 145
 primary, 475
 in pulmonary emphysema, 475
 renal, 305, 464
 cinchona alkaloids in, 399-403
 experimental, in isolation of
 hypertensin, 384-89
 nervous system in, 305
 and peripheral arteriovenous fistula, 463
 and vascular response to carbon dioxide, 813, 815-16, 817-18
 renin-induced, 948
 rice diet in, 305, 782
 splanchicotomy for, 949
 and suprarenal ischemia, 463
 sympathectomy in, 154, 634, 782
 thiocyanates for, 782
 transient, 465
 treatment of, 147
 urinary formaldehydogenic corticoids in, 622-23
 vascular, cortisone for, 147
 ventricular, 188
 Hypertensive heart disease, 584, 622
 Hyperthyroidism
 metabolism in, and cerebral circulation, 463
 radio-iodine for, 781
 Hypertrophy
 of heart, 302, 465
 ventricular, 146
 left, 601-02
 right, 602-03, 622, 943
 Hyperventilation, 450
 and psychomotor performance, 152
 Hypochloremia, 948
 Hyponatremia, asymptomatic, 959
 Hypophysis. *See* Pituitary gland

- Hypoproteinemia, 360
Hypoprote thrombinemia
 due to DEA, 172, 177
 due to dicumarol, 172, 177
Hypotension
 after carbon dioxide inhalation,
 801-18
 hemorrhagic, and shock syn-
 drome, 43, 49-57
 due to shock, 60, 63, 70, 71
 of spinal anesthesia, methoxa-
 mine for, 309
Hypothalamus, and vasomotion,
 445
Hypothermia
 for injury to myocardium, 241-50
 for intracardiac surgery, 790
Hypothyroidism, mild, ECG, 780
Hypoxia
 ECG during, 947
 hepatic
 and formation of VDM, 56, 71
 myocardial, 875, 879
 and psychomotor performance,
 152
 in reflex inhibition of the heart,
 949
 renal, and formation of VEM,
 54, 70-71
 of tissue, 70
 See also Anoxemia; Anoxia
- Iliac artery
 external, thrombosis in, 317
 pulse waves, 393
Imidazoline derivatives. See Pris-
 coline; Regitine
Inactivation index, 47
Infant
 cardiovascular system in, 637
 coarctation of aorta, 618
 oxygen saturation of arterial
 blood, 470
 patent ductus arteriosus
 detection of, 127
 surgical closure of, 132-33
 premature
 congestive heart failure in, 143
 newborn, ECG of, 945
 renal system in, 637
 respiratory obstruction in, from
 vascular rings, 141
 tachycardia, paroxysmal supra-
 ventricular, 944
 thrombosis
 arterial, 795
 of renal vein, 155
 unipolar precordial ECG in,
 438-43
 ventricular septal defect in, 457
 See also Child
- Infarction
 calcified, 942
 cerebral, anticoagulants for, 140
 vs. intraventricular block, ECG
 of, 458
 myocardial
 adhesive platelet count in, 273
 anticoagulants for, 141
 blood volume in shock from,
 619
 cardiac rupture in, 142
 complicating left bundle
 branch block, 591-94
- DEA for, 172
ECG, 781
 effect of emotion on, 448
 esophageal leads in, 461
 hypothermal injury to, 241-50
 low-frequency vibration rec-
 ord, 584
 minute volume in, 942
 posterior, 459
 postural ECG changes in,
 752-62
 potassium-induced ECG
 changes, 945-46
 and potassium tolerance, 952
 relief of pain of, 120-23
 S-T vector in, 193
 ST-T deformity of, 191
 T vector in, 193
 following TEAC, 942
- Infection
 and periarteritis nodosa, 464
 respiratory, and acute nonspe-
 cific pericarditis, 322
 streptococci, treatment of, to
 prevent rheumatic fever,
 471
Inflammation, acute, depressor
 response to, 784
Influenza, pulmonary edema in,
 147
- Inhibition
 reflex cardiac, 949
 in the sturgeon, 156
 of streptolysin S, 956
 vagal, thiamine hydrochloride
 for, 310
- Inhibitor, plasma, 416
- Injury
 to brain, pulmonary edema fol-
 lowing, 778
 cardiac, from X-ray therapy for
 peptic ulcer, 316
 to head, Raynaud's syndrome
 following, 793
 myocardial, 241-50
 subendocardial, 429
 to ventricle, ECG changes fol-
 lowing, 420
 See also Contusion; Trauma
- Injury current, 192
- Innervation
 autonomic, and procaine, 151
 cardiac, 955
- Insomnia
 after visammin administra-
 tion, 85
- Inspiration, and right atrial in-
 flow, 632
- Insufficiency
 aortic
 arteriosclerotic, 627
 ECG, 620
 low-frequency vibration rec-
 ord, 585, 587
 arterial, determination of,
 830-36
 arteriosclerotic vascular, arteri-
 ography in, 316
 coronary
 ballistocardiography, 669
 extremity and circumferential
 chest lead ECG in, 433-37
 exercise test for, 875-80
 mitral
- A-V oxygen difference in,
 534-35
 cardiac output in, 533-34
 oxygen consumption in, 534-36
 oxygen equivalent in, 534
 pulmonary capillary pressure
 in, 537, 538-39
 with pulmonary vascular le-
 sions, 230-38
 right ventricular work in, 536
 renal, 465
- Insulin
 myocardosis following, 458
 resistance to, 313
- Interauricular communication, 457
- Intoxication, potassium, disturb-
 ances of cardiac mecha-
 nism during, 889-904
- Intracellular water, in man, 631
- Intraventricular block. See Block,
 intraventricular
- Intraventricular septal defect, 470
- Inversion of abdominal viscera,
 with levocardia, 202-14
- Iodine, radioactive
 for angina pectoris in euthyroid
 patients, 779
 for hyperthyroidism, 781
- Iron
 metabolism of, 466
 in morbus caeruleus, 456
 plasma, 307
- Ironyl, 543
- Ischemia
 cerebral, and arterial hyper-
 tension, 551-57
 left ventricular
 QRS-T angle, 185
 T vector, 185, 192
 T wave, 186
 myocardial, and direction of T
 vector, 184
 pericardial, T vector, 190
 renal, after histamine injection,
 148
 suprarenal, and hypertension,
 463
- Isolation technic for prothrombin
 determination, 140
- Jaundice, 502
- J-K stroke, in heart disease, 666,
 668
- Joint disease, and heart disease,
 153
- K stroke
 in coronary artery disease, 668
 in hypertension, 667
- Kallikrein, in shock syndrome, 43
- Kempner regimen, in hyperten-
 sion, 304-05
 See also Rice diet
- Ketone bodies, 475
- Khellin, 796
 for angina pectoris, 302
 for pain of angina of effort, 786
 for ventricular fibrillation, 466
 See also Visammin
- Kidney
 adenosine triphosphatase activ-
 ity of, and mercurials, 151
 artificial, in isolation of hyper-
 tension, 384-89
 blood flow, during shock, 70, 76

- Kidney** (*Cont'd*)
 blood vessels, visualization of, 784
 circulation in
 after histamine injection, 148
 electrolyte excretion, 958
 juxtamedullary, 477
 and hypertension, 305, 464
 and coarctation of aorta, 18, 28, 29
 in congestive heart failure, 625
 with ammonium chloride acidosis, 842, 843
 constriction of, and hypertension, 464
 in diabetes mellitus, 627
 in disseminated lupus erythematosus, 497-98
 in edema, 275
 function of
 and adenosine triphosphate, 547, 548, 549
 effect of alcohol on, 785
 and age of patient, 152
 in congestive heart failure, 294-99, 619
 in cor pulmonale, 703-20
 effect of DCG on, 782
 and extracellular fluid volume, 624
 and glycoside of desoxycorticosterone, 629
 and level of oxygenation, 708-20
 and mercurial diuresis, 928-31
 effect of salt on, 276-81
 during sodium restriction, 8-10, 11-12
 and splachnicectomy, 465
 glomerular coils of,
 in disseminated lupus erythematosus, 493
 See also Filtration, glomerular
 glomerulonephritis, 466, 486
 adrenocorticotropin for, 151
 hypertension. *See* Hypertension, renal
 hypoxia of, and formation of VEM, 70-71
 occlusion of
 hemorrhagic shock following, 63-69
 tourniquet shock following, 65
 origin of VEM, 44, 49-56
 oxygen consumption of, during shock, 66, 69
 plastic capsule on, in production of hypertension, 304
 polyarteritis nodosa in, 484, 485-86
 pressor mechanism, 784
 venous pressure, in sodium excretion, 113
- L. E. cell**, 493
- Lead**
 back, in posterior myocardial infarction, 459
 CF, precordial, 945
 chest
 precordial, 459
 in health, 145
 esophageal
 interpretation of, 145
- in posterior myocardial infarction, 461
 in premature ventricular beats, 738-50
 extremity and circumferential chest, in acute coronary insufficiency, 433-37
 limb, in aged, 144
 multiple precordial, in congenital heart disease, 576
 precordial vs. intracavitary, 103
 right arm vs. intraventricular, 102-03
 semidirect, from back and esophagus, in posterior myocardial infarction, 459
 standard limb, S wave in, 781
 unipolar bronchial, 911-21
 unipolar limb direction of T wave in, 944
 unipolar precordial
 in aged, 144
 in infants, 438-43
- V**
 in precordial ECG, 945
 in congenital heart disease, 617
 prominent R wave and shallow S wave, 781
 vectorial study of, 461
- Leg**
 ulcer of, vitamin E for, 795
 venous disease of, 956
- Leriche syndrome**, aortogram, 612
- Lesion**, arteriosclerotic, of aorta, 795
- Leukemia**, chronic myelogenous, pericardial effusion in, 951
- Leukocyte**
 adhesiveness of, 345
 aggregation of
 by dicumarol, 345
 during infection, 346-48
 count, in polyarteritis nodosa, 489
 in morbus caeruleus, 456
 polymorphonuclear, in acute disseminated lupus erythematosus, 493
- Leukocytosis**
 polymorphonuclear, in polyarteritis nodosa, 489
 in pertussis, decrease of, by Hydergin, 467
- Leukocyturia**, in polyarteritis nodosa, 485
- Leukopenia**, in disseminated lupus erythematosus, 494
- Levocardia**, with inversion of abdominal viscera, 202-14
- Livedo reticularis**, with Raynaud's phenomenon, glyceryl trinitrate for, 683-84
- Libman-Sacks disease**, 466
- Ligation**, in patent ductus arteriosus, 130
- Lipid**
 and coronary artery, 142
 Lipid phosphorus, after choline feeding, 336-37
 Lipidosis, organ, and atheromatosis, 871
- Liver**
 abnormalities of, in congestive heart failure, 501-06
- blood flow, during shock, 71, 74-75
 cholesterol in, after choline feeding, 338
 cirrhosis
 electrolyte studies on, 959
 myocardosis in, 308
 in disseminated lupus erythematosus, 498
 fatty infiltration, after choline feeding, 337
 oxygen consumption of, during shock, 66, 69-70
 in polyarteritis nodosa, 487
 and VDM, 49-53, 57-59, 66, 69-71, 75, 77
- Lonalac**, 11
- Longevity**
 in extensive organic heart lesions, 618
See also Geriatrics
- Low salt syndrome**, 934-35
- Lung**
 arteriovenous fistula of, 794
 vascular anomalies in, 941
 Lupus erythematosus, 492-500
 acute, cytochemical changes of, 308
 disseminated
 ACTH for, 628, 630
 adhesive platelet count in, 272
 cortisone for, 628, 630, 786
 inclusion phenomenon, 156
 Lutembacher's syndrome, 618
 ECG, 565
 Lymphangioma, perirenal, hypertension from, 305
 Lymphomatosis, 474
- Magnesium**
 and arrhythmias, 467
 ionized, cardiac effects of, 954
- Malpighian bodies**, hyperplasia of, in disseminated lupus erythematosus, 498
- Manometer**, intracardiac, 390-98
- Mass**, nodular, formation of, after streptokinase injection, 414-17
- Mecholyl chloride**, 682
 for Raynaud's disease, 687
- Melana**, in polyarteritis nodosa, 487
- Menstruation**
 and ACTH, 773
 and cortisone, 773
- Mercurhydrin**, 926
 toxic effects of, 468, 933
- Mercupurin**, 926
 absorption of, 927
- Mercurophylline**, toxic effects of, 933
- Mercury**
 absorption of, 927
 distribution of, in the body, 927-28
 excretion of, 928-29
 mode of action, 929-31
 and renal adenosine triphosphatase, 151
 site of action, 929-31
 toxicity of, 931-33
See also Diuretic, mercurial

- Mercuzanthin, 276, 926
absorption of, 927
toxic effects of, 933
- Mesentery
in polyarteritis nodosa, 487
vascular occlusion, 636
- Metabolism
of carbon, effect of ACTH on, 772-73
of carbohydrate, effect of cortisone on, 772-73
cerebral
in neurosyphilis, 625
in uremia, 559-63
of electrolytes
effect of ACTH on, 773
effect of cortisone on, 773
of fat, effect of ACTH on, 773
in hyperthyroidism, 463
of iron, 466
of protein, effect of ACTH on, 773
water
effect of ACTH on, 773
effect of cortisone on, 773
- Metarteriole, in hemorrhagic hypotension, 43
- Methionine, 11
- Methoxamine, 309
- Micromanometer, intracardiac, 390-98
- Microscopy, capillary, in congenital heart disease, 457, 616
- Minute volume in myocardial infarction, 942
- Mitral insufficiency. *See* Insufficiency, mitral
- Mitral stenosis. *See* Stenosis, mitral
- Mitral valve, disease of, 531-41
- Mongolism, cardiac anomalies in, 142
- Morbus caeruleus, blood constituents in, 456
- Mortality
after angiocardiology, 153, 315
after coronary arteriography, 287
from Diodrast, in mouse, 787
from heart disease, 636
in surgery for patent ductus arteriosus, 134
- Mucoprotein, in rheumatic fever, 772
- Murmur
in acute rheumatic carditis, after cortisone therapy, 216
in aortic coarctation, 24, 25, 28, 30
apical diastolic, phonocardiographic study of, 312
continuous, 634
in patent ductus arteriosus, 127-28
after surgery, 135
in rheumatic fever, 771
systolic, 474
- Muscles
blood vessels in, 312
burned, cardiopressive substance in, 952
skeletal
in hemorrhagic shock, 49, 53
origin of VDM, 44, 60, 70, 75, 77
smooth, in hemorrhagic shock, 49, 53
trigger areas in, 122-23
- Myocardial infarction. *See* Infarction, myocardial
- Myocarditis, 148
in poliomyelitis, 788
in tuberculosis, 950
- Myocardium
anoxia, in potassium intoxication, 903
calcification of, 690-93
electrical potential of, 901, 902-03
injury of
by chemical agents, 242
by hyperthermal means, 241
by hypothermal means, 241-42, 243-50
RS-T pattern in, 144
by surgery, 242
by x-ray, 241
ischemia, and direction of T vector, 184
and Neo-iopax, 661
ventricular
excitation process in, 418-32
and repolarization, 190
See also Infarction, myocardial
- Myocardosis, 148
following insulin, 458
in liver cirrhosis, 308
- Myxoma, 787
- Nausea, after visammin administration, 85
- Neck, compression of, and excretion of electrolytes, 263, 264, 267
- Necrosis
of ears, with abacterial endocarditis, 139
ischemic, production of, 240
- Negro, coronary arteriosclerosis in, 942
- Neisseria flav*, endocarditis due to, 938
- Neo-iopax, 607
in coronary arteriography, 287
and human myocardium, 661
- Neoplasm, primary, of the heart, 787
- Nephrectomy, for hypertension, 305
- Nephritis
with edema, cortisone for, 469
rheumatic, 632
- Nerve
peripheral, in polyarteritis nodosa, 488
vagus, in cardiac arrest, 949
- Nervous system
autonomic
procaine innervation of, 151
in pulmonary arteriolar resistance, 625-26
and vascular response to carbon dioxide, 807, 811
central, and vascular response to carbon dioxide, 814
in polyarteritis nodosa, 488
in renal hypertension, 305
stimulation of, in production of arterial hypertension, 551-57
sympathetic, 623, 814, 942
- Neuritis, in beriberi heart disease, 359
- Neurosis
heart rate in, 446
and hypertension, 449
- Neurosyphilis, cerebral circulation in, 625
- Nicotinic acid, 682
for Raynaud's disease, 687
- Nitrogen
nonprotein
in disseminated lupus erythematosus, 497
in polyarteritis nodosa, 485
protein, in edema fluid, 148, 302
during rice diet, 12
vascular response to mixtures of, 806
- Nitroglycerine
for Raynaud's disease, 681-93
for Raynaud's phenomenon, 681-93
- Nitrous oxide method vs. rotameter, for coronary flow determination, 89-93
- Nodule, formation of, after streptokinase injection, 414-17
- Noradrenaline
circulatory effects of, 783
Hydergin produced by, 783
and hypertension, 943
intravenous infusion of, 785
and pheochromocytoma, 629-30, 943
and vascular response to carbon dioxide, 806, 808, 811, 812
See also Arterenol
- Norepinephrine, 630
anterior pituitary-adrenal cortical stimulating effect of, 468
cardiovascular responses to and benzodioxane, 255-58
and C6, 256-59
and C-5968, 256-59
and C-7337, 256-59
and C.C.K., 256-57
and D.H.K., 256-57
and Dibenamine, 255-57
and Priscoline, 256-59
and TEA, 256-59
and coronary arteries, 787
and corpuscular volume, 953
and emotional tachycardia, 446
and hematocrit, 953
and pheochromocytoma, 464-65
pressor effects of, potentiated by DOCA, 630
during stress, 449
- Novasurol, 926
- Numbness, after visammin administration, 85
- Nupercaine, 131
- Occlusion
of inferior mesenteric artery, 318
mesenteric vascular, 636
renal, hemorrhagic shock following, 63

- Occupations, of cardiac patients, 289
- Oliguria, effect of posture on, 112
- Orthopnea, 451
- Orthostatism, 945
- Oscillometer, electronic, 798
- Ouabain, inotropic action of, 786
- Oximeter, 470
- Oximetry, 470, 477
- Oxygen
cerebral consumption of
in neurosyphilis, 625
in uremia, 559-63
consumption of
by kidney, during shock, 66, 69
by liver, during shock, 69-70
in mitral stenosis, 533
after stimulation of sympathetic nerve, 942
deficiency of
and human eye, 475
in pulmonary tuberculosis, 944
See also Anoxemia; Anoxia; Hypoxia
and renal hemodynamics, 708-20
utilization of, adrenal glands in, 146
- Oxygen saturation of arterial blood, 470
- P wave
in acute rheumatic carditis, during cortisone therapy, 217, 218
in auricular fibrillation, 461
in bronchial ECG, 914-16, 918
in congenital heart disease, 576
in potassium intoxication, 889
- PAH. See Paraaminohippurate
- Pain
abdominal, effects of sympathectomy on, 315
in acute myocardial infarction, 458
relief of, 120-23
in acute nonspecific pericarditis, 323, 325
in angina of effort, 786
in angina pectoris, and visamin therapy, 81
anginal, 448
of anxiety, 448
in joint, in disseminated lupus erythematosus, 494, 499
near left breast, 448
in primary tuberculous pericarditis, 329
in polyarteritis nodosa, 482, 483, 484, 487, 489
precordial, and Q-T:T-Q ratio, 375
- Pallor, 446
- Palpitation, in neurosis, 446
- Pancarditis, rheumatic, cortisone for, 314
- Pancreas, in polyarteritis nodosa, 487
- Paraaminohippurate
clearance of
and adenosine triphosphate, 547, 548
in cor pulmonale, 712-13, 718-19
during rice diet, 11
during sodium restriction, 10
- Paracentesis, abdominal, in congestive heart failure, 299
- Patent ductus arteriosus, 301, 302, 443
aneurysmal dilatation in, 126
angiocardiology after ligation of, 634
and aortic coarctation, 32-40
bacterial infection in, 126, 131-32, 135
blood pressure in, 128
calcification in, 940-941
cardiac embarrassment in, 126
cardiac output in, 126
clinical picture, 125-28
diagnosis, 141, 616
ECG, 128, 574-76
fibrillation in, 128
vs interventricular septal defect, 127-28, 129
laboratory findings, 128-29
murmur in, 127-28
physical development in, 126
physical findings in, 126-27
P-R interval in, 128
prognosis, 126
with pulmonary aneurysm, 142
right-axis deviation, 128
roentgenologic picture, 129
surgery for, 129-36
thoracic aortography, 777
- Patent foramen ovale, with pulmonary stenosis, 940
- Pathology, of hypertension, 146
- Pelentan. See DEA; Tromexan
- Penicillin
for actinomycosis, 857
for bacteria on heart valves, 139
for subacute bacterial endocarditis, 300
- Pentamethonium iodide, in surgery, 310
- Pentobarbital
and formation of VDM, 56
and vascular response to carbon dioxide, 806
- Peptic ulcer, x-ray therapy for, 316
- Percorten, 344
- Periarteritis nodosa, 155
ACTH for, 785
cortisone for, 785
with congenital heart disease, 617-18
role of infection in, 464
- Pericardial effusion, 377-83, 508-13, 951
- Pericarditis
acute nonspecific, 321-30
benign, 475
adhesive, 959
chronic constrictive, 329-30
ECG, 621
pressure curves in, 881-87
constrictive, low-frequency vibration record of, 583, 586
in disseminated lupus erythematosus, 496
and P-Q interval, 943
production of, by chemical agents, 242
S-T vector in, 190
tuberculous, 328-29
streptomycin for, 311
- Pericardium
in polyarteritis nodosa, 484
See also Effusion, pericardial
- Peripheral vascular disease, 150, 271-74, 473, 474
- Perisplenitis, 487
- Perparin, as coronary vasodilator, 954
- Pertussis, 467
- Pharyngitis, acute streptococcal, and inhibition of streptolysin S, 956
- Pheochromocytoma, 306, 463, 464
diagnosis of, 629
by imidazolines, 258
by piperidylmethyl benzodioxane, 306
with hypertension, thoracolumbar sympathectomy for, 472
and noradrenaline, 943
urinary, 629-30
treatment of, 629
and urinary adrenaline, 629-30
- Phlebitis, migratory, adhesive platelet count in, 272, 273
- Phlebotomy
hematopoiesis following, 496
repeated, for cor pulmonale, 941
See also Bleeding
- Phonocardiography, 477
apical diastolic murmurs, 312
first heart sound, 730-32
linear, 580
- Phosphorous
lipid, after choline feeding, 336-37
radioactive, in study of fetal circulation, 313
- Pitressin, 295, 941
- Pituitary gland
anterior
and epinephrine, 468
factors from, 793
and norepinephrine, 468
posterior, effects of extract from, 941
- Pituitrin, and tubular function, 11
- Placebo, in angina pectoris, 81-83
- Plasma
albumin, combination of toluidine dye isomers with, 307
anticoagulant in, 939
antithrombin, as test for intravascular clotting, 455
cholesterol
during rapid weight reduction, 864-66
at various age periods of chick, 868-70, 872
concentration of, and quinidine, 311
hexosamine, after streptokinase injection, 415
human, and anticoagulant activity of heparin, 616
effect of hydration on, 279
hypercholesterolemic, and serum cholesterol, 959
inhibitor, 416
iron, in hematopoietic disorders, 307
potassium, 277-78
effect of salt on, 276-79

- volume, 782
 - effect of bed rest on, 312
 - and rice diet in hypertension, 305
- Plasmin, 416
- Plasminogen, 416
- Plasticity factor, 695, 697
- Platelet
 - adhesiveness of, 345
 - in peripheral vascular disease, 271-74
 - aggregation of, during infection, 346
 - concentration of, and electrolytic resistance of blood clot in thrombocytopenia, 140
 - endothelial coating by, during infection, 346
 - in white thrombi, 341-44
- Plethysmography
 - arterial insufficiency, 830-36
 - effect of Priscoline on peripheral blood flow, 820-29
 - tail, 724-25
- Pleuritis, in disseminated lupus erythematosus, 498
- Pneumonia
 - in disseminated lupus erythematosus, 498
 - influenzal, pulmonary edema in, 147
- Pneumoperitoneum, ECG, 143
- Poiseuille's law, 694
- Polimyelitis
 - myocarditis in, 788
 - ECG, 459
- Polyarteritis nodosa, 155, 481-90
 - involving female genital tract, 950
- Polyarthralgia, in disseminated lupus erythematosus, 499
- Polyarthritis, cortisone for, 216
- Polycythemia, digital vascular volume, 699
- Polyneuritis, in beriberi heart disease, 359
- Pooling
 - intrahepatic, 74-75
 - intraarenal, 76
- Position, head-down, circulatory effects of, 949
- Post-tachycardia syndrome, 948
- Post-tachycardia electrocardiographic syndrome, 304
- Post-thrombotic syndrome, 790
- Posture
 - and ECG changes in myocardial infarction, 752-62
 - and electrolyte excretion after bleeding, 266-69
 - and peripheral blood flow, 783
 - in left heart failure, 954
 - and sodium excretion, 261-62
 - and vital capacity, 162
- Potassium
 - for arrhythmia due to digitalis, 468
 - clearance of, 277-78
 - deficiency of, in chickens, ECG, 621
 - effect of, on ECG, 945-46
 - excretion of
 - after bleeding, 264, 265
 - and compression of neck, 109, 111, 264
 - following digitoxin, 409
 - effect of posture on, 107-108
 - intoxication, 631
 - disturbances of cardiac mechanism during, 889-904
 - and inverted T wave in organic heart disease, 621
 - and magnitude of mean spatial T vector, 196
 - plasma concentration of, 277-78
 - retention of in anuria, 959
 - serum, in uremia, 784
 - in shock syndrome, 43
 - tolerance to, and myocardial infarction, 952
- Potassium chloride
 - and ECG changes, 242-43
 - in left ventricle, ECG changes following, 420-21
- intracavitary
 - of human left ventricle, 95-104
 - in right bundle branch block, 198-201
 - of myocardial cell, effect of potassium on, 901, 902-03
- P-Q interval and pericarditis, 943
- P-R interval
 - in patent ductus arteriosus, 128
 - in rheumatic carditis during cortisone therapy, 218
 - in rheumatic fever, 770
- Precapillary, in hemorrhagic hypotension, 43
- Precordium, low-frequency vibrations, 579-88
- Pregnancy
 - blood pressure of, 626
 - fall in, after high spinal anesthesia, 950
 - and heart block, 620
 - hormone, for rheumatic carditis, 314
 - pulmonary embolism by amniotic fluid, 958
 - toxemia of, veratrum viride for, 948
- Pressure
 - artefact, in intracardiac manometry, 390, 392, 397
 - arterial, 801-19
 - in aortic coarctation, 17-30, 32-40
 - and carotid-occlusion-pressor reflex, 630
 - effect of CO₂-O₂ mixture on, 801-18
 - and epinephrine, 949
 - and hydrated ergot alkaloids, 149
 - in patent ductus arteriosus, 301
 - during pericardial effusion, 379-83
 - during sodium restriction, 7, 10-11, 12-13
 - blood
 - and adenosine triphosphate, 546, 547-49
 - and autonomic blockade, 950
 - and cardiac asthma, 779
 - effect of castration on, 623, 798
 - in disseminated lupus erythematosus, 495
 - mean arterial, and auricular fibrillation, 625
 - in patent ductus arteriosus, 128
 - in pregnancy, 626, 950
 - and pulmonary edema, 779
 - in unanesthetized rat, 722-25, 727-29
 - in urographic examination, 789
 - after visammin administration, 84
 - changes, during pericardial effusion, 378-83
 - and flow, in digital circulation, 694-701
 - intracardiac, 392-98
 - manometer for, 390-98
 - intracranial, and arterial hypertension, 555-57
 - intracranial venous, and sodium excretion, 113
 - intramyocardial, and T vectors, 188
 - osmotic, and antidiuretic hormone, 294-95
 - pericardial, during pericardial effusion, 379-83
 - pulmonary arterial, and cardiac output, 536-37
 - right ventricular, effect of digitoxin on, 953
 - renal venous, and sodium secretion, 624
 - venous, 674-79
 - and age of patient, 678
 - in foot, 313, 955, 956
 - gradient of, 675, 676
 - and hydrated ergot alkaloids, 149
 - and miscellaneous physiologic factors, 678-79
 - and race of patient, 678
 - and sex of patient, 678
 - transient elevation of, 675
- Pressure curve, in chronic constrictive pericarditis, 881-87
- Priscoline, 682
 - and cardiovascular response
 - to epinephrine, 256-59
 - to norepinephrine, 256-59
 - and peripheral circulation, 820-29
 - for Raynaud's disease, 687
- Procaine
 - and autonomic innervation, 151
 - for blocking trigger areas, 122-23
 - intravenous, 312
 - ECG, 628
- Protein
 - during rice diet, 12
 - metabolism of
 - effect of ACTH on, 773
 - effect of cortisone on, 773
 - serum, in disseminated lupus erythematosus, 628
- Protein lability test, and subacute endocarditis, 139
- Protein nitrogen, in edema fluid, 148
- Proteinuria
 - and arterial oxygen desaturation, 715
 - in diabetes mellitus, and impaired vibratory sense, 152
 - during sodium restriction, 10

- Proteolysis, 416
 Prothrombin, determination of,
 by isolation technic, 140
 Prothrombin activity
 and DEA, 172-73
 and dicumarol, 172
 Prothrombin conversion accelera-
 tor of serum, 301, 338
 Prothrombin level, and chilblains,
 300
 Prothrombin time
 and DEA, 176-77
 and dicumarol, 176-77
 photoelectric determination, 616
 and Tromexan, 165-69
 Protolysate, 11, 12
 Psychomotor performance, and
 oxygen supply, 152
 Pulmonary arteriosclerosis, 302
 Pulmonary artery
 aneurysm of, 627
 with patent ductus arterio-
 sus, 142
 angiocardiography, 634
 anomalies of, 213
 enlarged, 777
 hypertension, and atrial septal
 defect, 145
 obstruction of, 794
 in patent ductus arteriosus, 129
 pressure in, and cardiac output,
 536-37
 pulse waves, 394
 visualization of movements of,
 956
 Pulmonary stenosis. *See* Stenosis,
 pulmonary
 Pulmonary vascular lesions, in
 mitral insufficiency,
 230-38
 Pulmonary vein, abnormal, roent-
 genologic diagnosis of, 154
 Pulse
 Corrigan-like in beriberi heart
 disease, 359
 pressure
 after exercise, 225-27
 in patent ductus arteriosus,
 128
 rate
 and emotion, 446
 and epinephrine, 949
 at high altitudes, 636
 Pupil, denervated, effect of cold
 on, 149
 Purkinje fiber, and excitation in
 ventricular myocardium,
 424
 Pyrogen, for essential hyperten-
 sion, 7
 Pyrosis, after visammin adminis-
 tration, 85
 Q wave, 199
 in esophageal ECG, 620-21
 following potassium chloride in
 left ventricle, 421
 Qr complex, in intraventricular
 ECG, 99
 qR complex, in intraventricular
 ECG, 103
 QRS axis
 deviation of, 302
 in acute rheumatic carditis dur-
 ing cortisone therapy, 217
 in beriberi heart disease, 360
 in bronchial ECG, 919
 following cocaine in left ventri-
 cle, 421, 423
 and emotional disorder, 447
 in intraventricular ECG, 97, 103
 in normal precordial ECG, 146
 following potassium chloride in
 left ventricle, 421
 of premature ventricular beats,
 102
 prolongation of, in bundle
 branch block, 890
 in ventricular hypertrophy, 146
 QRS vector, mean spatial direc-
 tion of, 184
 QRS-T angle
 and left ventricular ischemia,
 185
 and ventricular gradient, 184
 QRS-T segment, in acute rheu-
 matic carditis during cor-
 tisine therapy, 218
 QS complex, in intraventricular
 ECG, 97, 99, 103
 QS wave, 200
 Q-T interval
 in acute rheumatic carditis dur-
 ing cortisone therapy, 217,
 218
 in chronic cor pulmonale, 733-36
 Q-T pattern, and exercise, 369-75
 Q-T time, 189
 Q-T:T-Q ratio, and exercise,
 369-75
 Quinidine
 for arrhythmia due to cyclo-
 propane-epinephrine, 787
 intravenous, for ventricular
 tachycardia, 787, 953
 plasma concentration of, 311
 Quinidine sulfate, in hypertension,
 399-403
 Quinine sulfate, in hypertension,
 399-403
 R wave, 199
 in intraventricular ECG, 97, 103
 following potassium chloride in
 left ventricle, 420-21
 prominent, in myocardial in-
 farction, 781
 Race (of patient)
 and coronary arteriosclerosis,
 942
 and venous pressure, 678
 Radiocarbon, in labeling of dicum-
 ariny derivatives, 171-80
 Radiochromium, 956
 Radio-iodine
 for angina pectoris in euthyroid
 patients, 779
 for hyperthyroidism, 781
 Radiomercury, distribution of, in
 body fluids, 311
 Radiophosphorus, in study of
 fetal circulation, 313
 Rash, butterfly, in disseminated
 lupus erythematosus, 494,
 499, 500
 Rat, unanesthetized, blood pres-
 sure in, 722-25, 727-29
 Rat mesoappendix test, 45-46
 Raynaud's disease, glyceryl tri-
 nitrate for, 681-93
 Raynaud's phenomenon, due to
 thromboangiitis oblit-
 erans, 834
 Raynaud's syndrome, after head
 injury, 793
 Reflex
 cardiac inhibition, in sturgeon,
 156
 carotid-occlusion-pressor, 630
 carotid sinus, 26
 trigeminal nerve, in cardiovas-
 cular disease, 147
 Regitine (C-7337)
 and cardiovascular response
 to epinephrine, 256-59
 to norepinephrine, 256-59
 Regurgitation, aortic, and pul-
 monic stenosis, ECG, 572
 Renal vein, thrombosis of, in in-
 fants, 155
 Renin, 358, 450
 hypertension due to, 948
 Repolarization
 and age (of patient), 190
 following digitalis, 192
 and direction of T vector, 184
 in post-QRS period, 188
 in S-T period, 190
 Resection, infundibular, 778
 Resistance, 38
 digital vascular, 699-701
 electrolytic, of blood clot in
 thrombocytopenia, 140
 renal vascular, in cor pulmonale,
 714, 715
 Respiration
 and adenosine triphosphate, 546,
 549
 obstruction of, by vascular
 rings, 141
 Respiratory infection
 and acute nonspecific pericar-
 ditis, 322
 in disseminated lupus erythem-
 atosus, 498
 in polyarteritis nodosa, 488
 Rest, and plasma volume, 312
 Reticuloendothelial system, in
 subacute bacterial endo-
 carditis, 300
 Retraction, of clot, 940
 Rheocardiography of chest wall,
 471
 Rheumatic arthritis, streptococcal
 agglutination titer in,
 632-33
 Rheumatic carditis
 cortisone for, 215-22, 774-75
 in elderly patients, 956
 oxygen therapy for, 314
 pregnancy hormones for, 314
 Rheumatic fever
 ACTH for, 770-75, 788
 dosage, 773-74
 artificially induced, subcutane-
 ous nodules in, 314
 cortisone for, 770-75, 788
 dosage, 773-74
 3-hydroxy-2-phenyleinchoninic
 acid for, 315
 and inhibition of streptolysin S,
 956
 nonspecific hyaluronidase inhib-
 itor in, 153
 pregnancy hormones for, 314

- prevention of, 471
streptococcal agglutination titer
in, 632-33
- Rheumatic heart disease, 798
low-frequency vibration record,
583, 585, 587
- Rheumatoid arthritis
and emotion, 445
and heart disease, 314
- Rhythm
abnormal cardiac, due to acetyl-
choline, 764-69
systolic, "three sounds tempo,"
954
- Rice diet
in hypertension, 304-05
essential, 1, 12
and plasma volume changes in
hypertension, 782
- Right-axis deviation, in patent
ductus arteriosus, 128
- Ring
cardiac, calcification of, 156
vascular, in respiratory obstruc-
tion, 141
- Roentgenology
abnormal right pulmonary
veins, 154
beriberi heart disease, 360
measurement of volume of dog's
heart, 465
patent ductus arteriosus, 129
pulmonary embolism, 788
pulmonic stenosis, 301
visualization of coronary ar-
teries during life, 282-87
See also Angiocardiography
- Roger's disease, 566
- Roniacol, 309-10
- Rotameter vs. nitrous oxide
method for coronary flow
determination, 89-93
- RS wave, 199
- RS-T complex, in intraventricular
ECG, 103, 104
- RS-T pattern, in myocardial in-
jury, 144
- RS-T segment, 199, 420
in acute nonspecific pericarditis,
324
in bronchial ECG, 918, 919
and exercise, 369-75
in potassium-injured heart, 901
in twenty-two lead ECG of
acute coronary insuffi-
ciency, 435-37
in visammin therapy for angina
pectoris, 81, 86
- Rupture, spontaneous, of aorta,
149
- Rutin, for diffuse capillary hemor-
rhage, 954
- S wave, 199
shallow, in myocardial infarc-
tion, 781
prominent, in all standard limb
leads, 781
- Sadness, 448
- Salicylic acid, urinary excretion
of, 632
- Salt
low salt syndrome, 311, 934-35
hypertension due to, 859-62
and renal function, 275-81
retention, 450, 451
See also Chloride; Electrolyte;
Sodium; Sodium chloride
- Salt depletion syndrome, following
mercurial diuresis, 311,
934-35
- Salyrgan, 926
absorption of, 927
toxic effects of, 933
- Scalenus anticus syndrome, veno-
gram, 609
- Sclerosis, coronary, and lympho-
matosis, 474
- Sclerotherapy, of varicose veins,
795
sodium tetradecyl sulfate
N.N.R. in, 310
- Sedimentation rate
in acute nonspecific pericarditis,
323
after cortisone therapy, 770
erythrocyte, 489
in disseminated lupus ery-
thematosus, 494
- Septum
anomalous, in cor triatriatum,
618
auricular
defect of, 145, 565-66, 568,
569-71, 618
defect of, and surgery for patent
ductus arteriosus, 134
intraventricular
acquired defect of, 470
activation of, 97, 103
interventricular, defect of, vs.
patent ductus arteriosus,
127-28, 129
ventricular
defect of, 457, 566-68
intact, with congenital pul-
monary stenosis, 940
- Serology, in acute rheumatic car-
ditis during cortisone
therapy, 218
- Serum
Ac-globulin, 938
antiferritin, and VDM activity,
72-73
cholesterol
and age of patient, 626
after choline feeding, 336-37
and dietary vegetable fat,
641-45
after egg yolk feeding, 795
and hypercholesterolemic
plasma, 959
and thiouracil feeding, 332-35
potassium, in uremia, 784
protein, in disseminated lupus
erythematosus, 628
sodium, and enucleation of adre-
nal gland, 959
thermal coagulation point of,
140
- Serum prothrombin conversion
accelerator, 301, 938
- Sex (of patient), and venous
pressure, 678
- Shock
hemodynamics of, 71-72
hemorrhagic
following renal occlusion,
63-65
and formation of VDM, 70
and vasotropic content of
tissues, 48-59
irreversible, 73-76
tourniquet
failure of VEM formation
in, 67
and formation of VDM, 70, 73
following renal occlusion, 65
and visotropic content of tis-
sues, 51-52, 59-63
- Shock syndrome, 42-44
- Shunt
and aortic coarctation, 32-40
aortic-pulmonary, 34-37, 38, 40
extracardiac, around mitral
valve, 620
pulmonary-aortic, 34-37, 38, 40
subclavian-aortic, 33-34, 37-38,
39-40
See also Anastomosis; Patent
ductus arteriosus
- Sinus
carotid. *See* Carotid sinus
coronary, variations of orifice
of, 514-23
- Sinus rhythm
digitalis for, 309
during potassium intoxication,
889, 902-903
- Situs inversus
of abdominal viscera with levo-
cardia, 202-14
with cardiovascular malforma-
tion, 142
- Skin
color of, in patent ductus arte-
riosus, 126
lesions of
in disseminated lupus ery-
thematosus, 494, 499
in polyarteritis nodosa, 489
temperature of, effect of glyceryl
trinitrate on, 684-85
- Smoking
and adhesive platelet count,
272, 274
effects of, 941
- Sodium
clearance of, 276-81
excretion of
in adrenalectomized rat, fol-
lowing DOCA, 782
after bleeding, 260-70
and cardiac output, 112
and carotid sinus, 112
and cerebral circulation, 113
and digitoxin, 405-11
effect of compression of neck
on, 108-11, 263
in cor pulmonale, 708-13
and heart failure, 113
and intracranial fluid volume,
114
and level of oxygenation,
708-13
in mercurial diuresis, 930-31
and peripheral circulation, 113
effect of posture on, 105-108,
110-13
and Pitressin, 941
regulation of, 783
and renal venous pressure, 624

- Sodium (*Con'd*)
 and venous congestion, 113
 and venous pressure, 113
 low, diet in essential hypertension, 1-15
 plasma concentration of, 276-78
 serum, and enucleation of adrenal gland, 959
 retention of,
 effect of ACTH on, 295
 glomerular-tubular imbalance concept, 297
 in sweat, 949
See also Electrolyte; Salt; Sodium chloride
- Sodium chloride
 dietary, in congestive heart failure, 298
 excretion of
 in congestive heart failure, 296
 and Pitressin, 295
 retention of, in chronic congestive heart failure, 295-96
See also Chloride; Electrolyte; Sodium; Salt
- Sodium azide, 807, 811, 812, 813
 Sodium iodide, 607
 Sodium nitroprusside, 807, 811, 812, 813
 Sodium tetradecyl sulfate N.N.R., in sclerotherapy of varicose veins, 310
- Sounds
 extra, in diastolic filling of ventricles, 151
 first heart, 631, 730-32
- Spasticity, cerebral, cervical arteriovenous anastomosis for, 472
- SPCA, 938
- Spinal cord, destruction of, and hypotensive response to carbon dioxide, 805, 808
- Splanchnicectomy, and renal function, 465
- Splanchnicotomy, for hypertension, 949
- Spleen
 in disseminated lupus erythematosus, 498
 and formation of VDM, 44, 77
 during shock, 54, 70
 in polyarteritis nodosa, 487
- Splenomegaly, 502
- S-T level
 and heart frequency, 780
- Stairs, climbing of, in heart disease, 224-29
- Starvation hyperlipemia, 864, 865
- Stellate ganglion block, for cerebral vascular lesion, 155
- Stenosis
 aortic, 572-73
 infundibular, 778
 mitral, 461, 634
 arterial embolism in, 363-66
 A-V oxygen difference in, 533, 534-35
 cardiac output in, 533
 ECG changes in, with exercise, 373
 embolism in, 473
 low-frequency vibration record, 585, 587
- Lutembacher's syndrome, 565, 618
 vs. mitral insufficiency, 237
 mural thrombosis in, 363-66
 oxygen equivalent in, 533
 oxygen consumption in, 533, 534-35
 pulmonary capillary pressure in, 537, 538-39
 right ventricular work in, 535
 pulmonary
 and aortic regurgitation, ECG, 572
 congenital, with intact ventricular septum, 940
 ECG, 568-71
 with patent foramen ovale, 940
 roentgenographic changes in, 301
 and surgery for patent ductus arteriosus, 134
 rheumatic mitral, and surgery for patent ductus arteriosus, 134
 subaortic, 572-73
 and cor trioculare biatriatum, 524-29
See also Coarctation
- Stimulation, preganglionic, and TEA, 150
- Strain, ventricular, 431
 and digitalis, 149, 192
 and direction of T vector, 188
 left, 877
 combined left and right, 781
 S-T vector in, 191
- Streptobacillus moniliformis*, subacute bacterial endocarditis due to, 938
- Streptococcal infection, treatment of, to prevent rheumatic fever, 471
- Streptococcus viridans*, in patent ductus arteriosus, 126, 131-32, 135
- Streptokinase, 413-17
- Streptolysin S, inhibition of, 956
- Streptomycin, for tuberculous pericarditis, 311
- Stress and liberation of adrenocortical hormone, 451-52
- Stroke
 volume, after exercise, 225-27
- Strophanthidin, acetyl ventricular fibrillation due to, 647-56
- Strophanthin, and circulation, 150
- S-T segment
 in intraventricular ECG, 97, 99, 103
 following potassium chloride in left ventricle, 421
 in potassium-injured heart, 901
 S-T_p segment, in bronchial ECG, 916-18
- S-T vector, 188
 and abnormal T vector, 190-91
 following digitalis, 192
 and injury current, 192
 mean spatial, in post-QRS period, 188
 in myocardial infarction, 191, 193
- in pericarditis, 190
- ST-T area, of premature ventricular beats, 102
- ST-T complex, in intraventricular ECG, 99, 103
- ST-T loop, abnormal, 188
- ST-T vector, 188
- ST-T wave
 abnormal, vector representation of, 191
 in normal subject, 186
- Sturgeon, reflex cardiac inhibition in, 156
- Sulfonamides
 for actinomycosis, 857
 and incidence of polyarteritis nodosa, 489
- Suprarenal gland
 demedullated, and effect of cold on denervated heart, 149
 ischemia of, and hypertension, 463
- Suprarenalectomy, in thromboangiitis obliterans, 791
- Surgery
 arrhythmia during, 628
 arterial hypertension, 472
 blood volume determinations in, 306-07
 epilepsy with carotid sinus syndrome, 798
 intracardiac, hypothermia for, 790
 mesenteric vascular occlusion, 636
 nephrectomy for hypertension, 305
 patent ductus arteriosus, 129-36
 pentamethonium iodide in, 310
 popliteal vein for varicose ulceration, 957
 postoperative coagulation, 939
 splanchnicotomy for hypertension, 949
 subclavian-aortic shunts in aortic coarctation, 37-38
 Suture-ligation, in patent ductus arteriosus, 130
- Sweat, sodium in, 949
- Sympathectomy
 anemoyelia as indication for, 835
 effects of
 on abdominal pain, 315
 and Priscoline on peripheral blood flow, 823
 for hypertension, 154
 circulatory disturbance following, 634
 and hypotensive reaction to carbon dioxide, 804, 807-08, 813, 814
- lumbar
 circulation in foot after, 793
 reactive hyperemia after, 832, 833
 residual sympathetic pathway following, 154
 and thiocyanates, for hypertension, 782
- thoracolumbar
 and epinephrine, 949
 for pheochromocytoma, 472
 and vascular tone, 793

- Sympathetic pathway, cardiac, not blocked by TEA, 150
- Sympathetic nerve, stimulation of, changes in coronary flow following, 623
- Sympathetic nervous system stimulation of, and cardiac work, 942
- and vascular response to carbon dioxide, 814
- Syncope, and emotion, 449
- Syphilis
- cardiovascular, 636, 637
- pulmonary arteritis due to, 474
- Systole, ventricular, duration of, 462
- T vector
- abnormal, 190-91
- change in direction of, 190
- change in magnitude of, 190
- following digitalis, 192
- and intramyocardial pressure, 188
- in left ventricle ischemia, 185
- mean spatial
- direction of, 183-88
- in post-QRS period, 188
- and T wave deformity, 195, 196
- in myocardial infarction, 193
- in normal subject, 186
- in pericarditis, 190
- rotation of, and electrical position of heart, 185-86
- in ventricular hypertension, 188
- T wave, 199
- in acute nonspecific pericarditis, 324, 325-26
- in acute rheumatic carditis, during cortisone therapy, 217, 218
- in beriberi heart disease, 360
- in coronary arteriography, 283
- deformity of, 194-96
- direction of, in unipolar limb leads, 944
- and emotional disorder, 447
- and exercise, 370-71, 375
- and intramyocardial pressure, 188
- in intraventricular ECG, 99
- in left ventricle ischemia, 185, 186, 188
- multiphasic, 186
- in normal infants, 440-43
- in normal subject, 186
- and potassium, 621, 901, 903
- in spatial vector ECG, 183-88
- variability, 780
- Tachycardia, 450
- emotional, 446
- paroxysmal, 637
- atebrin in, 150
- auricular, with A-V block, 621
- self-produced, 959
- supraventricular, in infancy, 944
- post-tachycardia syndrome, 948
- sinus, in disseminated lupus erythematosus, 495
- ventricular, 655
- due to digitoxin, 952
- intravenous quinidine for, 787, 953
- paroxysmal, with A-V block, 460, 461
- and retrograde conduction, 747-48
- TEA, TEAC. *See* Tetraethylammonium Tetraethylammonium chloride
- Temperature
- effect of, on venous pressure in foot, 313, 955
- internal, of fingers, 784
- myocardial injury produced by, pothermally, 239-50
- of skin, effect of glyceryl trinitrate on, 684-85
- See also* Fever
- Tetany, in mercurial diuresis, 935
- Tetraethylammonium, 150.
- blood pressure response to, 309
- and cardiovascular response to epinephrine, 256-59
- to norepinephrine, 256-59
- Tetraethylammonium bromide, peripheral vasoconstrictive action of, 952
- Tetraethylammonium chloride vs. high spinal anesthesia for autonomic blockade, 626
- myocardial infarction following, 942
- and vascular response to carbon dioxide, 805, 806, 807, 816, 817
- See also* Etamon chloride
- Tetralogy of Fallot
- ECG, 373, 571
- exploratory thoracotomy in, 456
- Thebesian valve
- mixing effect, 522-23
- variations of, 516-20
- Theophylline, 927
- Thermal coagulation point of blood serum, 140
- Thiamine, and beriberi heart disease, 358, 361
- Thiamine hydrochloride, for vagal inhibition, 310
- Thiocyanates, and sympathectomy for hypertension, 782
- Thiomerin, 779, 926
- absorption of, 927
- cutaneous reactivity to, 310
- pharmacology of, 468-69
- toxicity of, 628, 933
- Thiouracil, and serum cholesterol, 332-35
- Thoracentesis, in congestive heart failure, 299
- Thoracotomy, exploratory, in tetralogy of Fallot, 456
- Thorium dioxide, 607
- Thorotrast, 607
- Thrombin, human, for pulmonary hemorrhage, 300
- Thromboangiitis obliterans
- ganglionectomy in, 791
- and platelet count in, 272-74
- with Raynaud's phenomenon, glyceryl trinitrate for, 683-84, 687
- suprarenalctomy in, 791
- in women, 635, 794
- Thrombocytopenia, electrolytic resistance of blood clot in, 140
- Thromboembolism, 473
- Ac-globulin levels in, 792
- dicumarol for, in congestive heart failure, 143
- in mitral stenosis, 363-66
- in pulmonary tuberculosis, 155
- white, in hamster, 339-49
- Thrombophlebitis
- adhesive platelet count in, 272
- of femoral vein, Tromexan for, 165
- migrans, 473, 792
- Thromboplastin, circulating, 939
- Thrombosis
- agnogenic venous mesenteric, 791
- arterial, in newborn infant, 795
- of axillary vein, Tromexan for, 167
- blood platelet, during infection, 346-48
- in cor triloculare biatriatum with subaortic stenosis, 529
- coronary
- dicumarol for, 345
- experimental, 241
- platelet adhesiveness in, 273-74
- relief of pain of, 120-23
- in external iliac artery, 317
- mural, in mitral stenosis, 363-66
- venous, 939
- See also* Thromboembolism
- Thrombus
- blood platelet, 341
- dicumarol for, 344-45
- heparin for, 345
- mixed platelet-leukocytic, 346
- mural, distribution of, in heart, 363-66
- Thyrototoxicosis, and angina pectoris, 142
- Thymus, tumor of, simulating pericardial effusion, 508-13
- Tissue
- activator, 416
- automatic, 629
- connective, in disseminated lupus erythematosus, 495
- damage to, and shock syndrome, 42
- elasticity, in ballistocardiography, 665
- endocardial, ECG changes following injury to, 420-25
- hexosamine, after streptokinase injection, 414
- hypoxia of, and origin of vasotrophic factors, 70
- vasotropic content of
- during hemorrhagic shock, 48-59
- during tourniquet shock, 59-63
- Toluidine dye, combination of, with plasma albumin, 307
- Tone
- cardioaccelerator, 955
- vascular, and sympathectomy, 793
- Tourniquet shock
- failure of VEM formation in, 67
- and formation of VDM, 70, 73

- Tourniquet shock (*Cont'd*)
 following renal occlusion, 65
 and vasotropic content of tissues, 51-52, 59-63
- Toxemia
 hypertension of, adrenergic block for, 304
 of pregnancy
 coagulation disorders in, 939
 veratrum viride for, 948
- Transposition, of the great vessels, ECG, 572
- Trauma
 platelet thromboembolism from, 341-44
 dicumarol for, 344-45
 heparin for, 345
See also Contusion; Injury
- Traumatic heart disease, 951
- Trench foot, vasodilator drugs for, 952
- Tricuspid valve
 congenital atresia of, ECG, 460
See also Ebstein's disease
- Trigeminal nerve reflex, in cardiovascular disease, 147
- Trigger mechanisms, 122-23
- TriLOGY of Fallot, 777
- Tromexan, 164-69, 796
See also DEA
- Trypsin, 415, 416
- Tuberculosis
 endocardial, 628
 myocardial in, 950
 and nonspecific pericarditis, 328
 pulmonary
 asymptomatic hyponatremia in, 959
 oxygen deficiency in, 944
 thromboembolism in, 155
- Tumor
 thymic, simulating pericardial effusion, 508
 and white thromboembolism in hamster, 348
- Turbulence, in aortic coarctation, 28, 30
- U wave, 199
- Ulcer
 of leg, vitamin E for, 795
 peptic, x-ray therapy for, 316
 varicose, division of popliteal vein for, 957
- Uremia
 cerebral circulation in, 558-63
 serum potassium in, 784
- Uric acid, in blood, following VDM formation, 71
- Urinary system
 in disseminated lupus erythematosus, 497
 in polyarteritis nodosa, 485
- Urine
 concentration of, and antidiuretic hormone, 295
 formaldehydogenic corticoids in, 622-23
 glucuronic acid in, 632
 protein in, 162, 715
 during sodium restriction, 10
 salicylic acid in, 632
 sodium in
 after bleeding, 260-70
 effect of digitoxin on, 405-11
 specific gravity, during rice diet, 10
 volume of
 after bleeding, 262-64
 effect of posture on, 105-08, 112
- Urticaria, following vasodilatation, 446
- Vagotomy, and hypotensive reaction to carbon dioxide, 804, 809
- Vagus nerve, in cardiac arrest, 949
- Valve
 disease of, 792
 cardiac, calcification of, 156
 eustachian, variation of, 521
 of heart, penicillin for bacteria on, 139
 mitral
 disease of, 531-41
 extracardiac shunt around, 620
 rheumatic disease of, in aged, 633
 thebesian
 mixing effect of, 522-23
 variations of, 516-20
 tricuspid, 460, 568
- Valvulotomy, mitral, 317
 and pulmonary vascular resistance, 540
- Varicose vein, sclerotherapy of, 310
- Vasa nervorum, in polyarteritis nodosa, 488
- Vascular configuration volume index, 697
- Vascular disease
 due to Addison's disease, 473
 due to desoxycorticosterone, 793
 hypertensive, cortisone for, 147
 obliterative, 792
 peripheral
 blood platelet adhesiveness in, 271-74
 and systolic murmur, 474
 vasodilators in, 150
 pulmonary, in mitral insufficiency, 230-38
- Vascular insufficiency, arteriosclerotic, arteriography in, 316
- Vascular lesion
 cerebral, stellate ganglion block for, 165
 renal, in diabetes, 473
- Vascular reactivity
 during depressor response, 784
 effect of CO₂-O₂ mixture on, 801-18
- Vascular resistance
 cerebral, in uremia, 559-62
 digital, 699-701
 renal, in cor pulmonale, 714, 715
- Vascular system, peripheral, and emotion, 444-46
- Vascular tone, and sympathectomy, 793
- Vasoconstriction
 cutaneous, during emotion, 445
- Vasoconstrictor
 hypertensin, 384-89
 tetraethyl ammonium bromide, 952
- Vasodepressor
 hepatic, antidiuretic action of, 307
See also VEM
- Vasodilatation
 indirect, in response to heating, 313
 followed by urticaria, 446
- Vasodilator
 for chronic trench foot, 952
 coronary
 ethaverine as, 954
 papaverine as, 954
 visammin as, 80-87
 in peripheral vascular disease, 150
See also Adenosine triphosphate
- Vasoeccitor. *See* VEM
- Vasomotion
 and emotion, 445
 in hemorrhagic hypotension, 43
- Vasospasm, reflex, 122-23
- VDM (vasodepressor material)
 antidiuretic action of, 307
 and antiferritin, 72-73
 and blood constituents, 71
 formation of, 44, 70, 77
 and anesthesia, 56-57
 by liver, 69-70
 by skeletal muscle, 70
 during hemorrhagic shock, 48-59
 and renal occlusion, 64-68
 hepatic accumulation of, 75
 inactivation of, 44
 and intrahepatic pooling, 74-75
 in irreversible shock, 73
 rat mesoappendix test of, 45-46
 during tourniquet shock and renal occlusion, 65, 67
 and vascular hyporeactivity, 47
- Vector ballistocardiography, 797
- Vectorcardiographic loop, point of origin of, 303
- Vectorcardiography
 choice of polarity, 459
 of intraventricular block, 947
 spatial, 182-96
 direction of QRS vector, 184
 direction of T vector, 183-88
 in right bundle branch block, 600-05
- Vein
 azygos, 634
 constriction of, by digitoxin, 410
 intra-abdominal, 613-14
 peripheral venography, 607-09
 popliteal, in varicose ulceration, 957
 portal
 catheterization of, 797
 occlusion of, 790
 venogram, 614
 pulmonary, 634
 abnormality diagnosed by roentgenology, 154
 anomalies of, 212-13
 renal, thrombosis of, in infants, 155
 superficial, pressure in, 674-79
 superficial femoral, ligation of, 790
 varicose, sclerotherapy, 795
- VEM (vasoeccitor material)
 and compensatory vascular reactivity, 68

- formation of, 77
 - by kidney, 68
 - and kidney hypoxia, 70-71
- inactivation of, 44
- occurrence of
 - during hemorrhagic shock, 48-59
 - during tourniquet shock, 51-52
- origin of, 44
- rat mesoappendix test of, 45-46
- Vena cava
 - inferior
 - valve of, 521
 - venogram, 613
 - occlusion of, maintenance of life during, 790
 - superior, anomalies of, 212
- Venesection. *See* Bleeding; Phlebotomy
- Venoconstriction, by digitoxin, 410
- Venography
 - inferior vena cava, 613
 - peripheral, of extremities, 607-09
 - portal vein, 614
 - renal veins, 613
- Venous system, of heart, 156
- Ventriele
 - defibrillation of, 307
 - diastolic filling of, extra sounds caused by, 151
 - direction of T vector, 184
 - disturbance, mechanisms of, during potassium intoxication, 889-90
 - endocardial sensitivity, 100-101
 - fibrillation of, 307
 - hypertrophy
 - in disseminated lupus erythematosus, 495
 - QRS complex in, 146
 - intraventricular block, 460
 - vs. infarction, 458
 - left
 - in aortic coarctation, 26, 29, 37
 - catheterization of, 198-201
 - ECG changes following injury to, 420-21
 - excitation of, 430
 - hypertrophy of, 601-02, 603
 - intracavitary potentials of, 95-104
 - size of, in patent ductus arteriosus, 129
 - subendocardial injury in, 429
 - premature beats
 - in cardiac catheterization, 101-02
 - and retrograde conduction, 738-50
 - pressure pulse contours, 393-95
 - response of, to acetylcholine, 764-68
 - right
 - in aortic coarctation, 36-37, 39
 - effect of digitoxin on pressure of, 953
 - hypertrophy, 602-03, 943
 - intracavitary potential of, 97
 - pressure curves from, in constrictive pericarditis, 881-87
 - as systemic ventricle, 32-33
 - work of, in mitral insufficiency, 536
 - work of, in mitral stenosis, 535
 - size of, and age of patient, 439
 - Ventricular gradient, 761-62
 - in chronic arterial hypertension, 303
 - in left bundle branch block, 594-99
 - and QRS-T angle, 184
 - Ventricular septal defect, 566-68
 - in infancy, 457
 - Ventricular strain, 431
 - Veratrum alkaloid, and vascular response to carbon dioxide, 806
 - Veratrum viride
 - blood pressure response to, 309
 - for toxemia of pregnancy, 948
 - oral, for essential hypertension, 782
 - Veriloid, and vascular response to carbon dioxide, 806
 - Vertebrae, cervical, and vertebral artery, 798
 - Vibration
 - of first heart sound, 730-32
 - precordial, of low frequency, 579-88
 - sensory detection of, impaired in diabetes mellitus with proteinuria, 152
 - Visammin
 - for angina pectoris, 80-87
 - See also* Khellin
 - Viscera, abdominal, inversion of, with levocardia, 202-14
 - Viscosity, of blood, 695, 697
 - Vital capacity, in supine position, 152
 - Vitamin, for beriberi heart disease, 361
 - Vitamin E, for leg ulcer, 795
 - Vitamin K, following Tromexan, 168
 - Vocations, of cardiac patients, 289
 - Volhard, Franz, 138
 - Volume
 - corpuscular, and epinephrine, 953
 - minute
 - and the lesser circulation, 474
 - in myocardial infarction, 942
 - Water
 - body, 631
 - deuterium oxide in measurement of, 956
 - excretion of
 - following alcohol, 785
 - and extracellular fluid volume, 624
 - and Pitressin, 941
 - intracellular in man, 631
 - metabolism of
 - effect of ACTH on, 773
 - effect of cortisone on, 773
 - restriction of, in congestive heart failure, 299
 - Weakness, after visammin administration, 85
 - Weight (of patient)
 - gain in, after surgery for patent ductus arteriosus, 135
 - rapid reduction of, plasma cholesterol during, 864-66
 - and venous pressure, 678
 - Wenckebach periods, experimental production of, 462
 - Wolff-Parkinson-White syndrome, 304, 948
 - Work, effect of, on heart, 224-29
 - Xanthoma tuberosum, 873
 - Xanthomatosis, 873
 - X-rays. *See* Roentgenology